



STANDARD «SUPER TORQUE» TIMING PULLEYS
POULIES DENTEES «SUPER TORQUE» DE SERIE
STANDARD-ZAHNSCHEIBEN «SUPER TORQUE»
POLEAS DENTADAS «SUPER TORQUE» DE SERIE

Pitch - Pas
 Teilung - Paso **8 mm**



S 8 M-20

code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Y mm	Z mm	Ød mm	flange flasque Bord valona	material materiel Werkstoff material
18 S 8 M 20	18	1	45,84	44,46	50	-	28	32	38	10	-	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
20 S 8 M 20	20	1	50,93	49,56	55	-	28	36	38	10	-		
22 S 8 M 20	22	1	56,02	54,65	62	-	28	43	38	10	-		
24 S 8 M 20	24	1	61,12	59,74	67	-	28	49	38	10	-		
26 S 8 M 20	26	1	66,21	64,84	73	-	28	50	38	10	-		
28 S 8 M 20	28	1	71,30	69,93	77	-	28	55	38	10	-		
30 S 8 M 20	30	1	76,39	75,02	84	-	28	60	38	10	-		
32 S 8 M 20	32	1	81,49	80,12	88	-	28	64	38	10	-		
34 S 8 M 20	34	1	86,58	85,21	94	-	28	70	38	10	-		
36 S 8 M 20	36	1	91,67	90,30	98	-	28	75	38	10	-		
38 S 8 M 20	38	1	96,77	95,39	104	-	28	80	38	10	-		
40 S 8 M 20	40	1	101,86	100,49	108	-	28	85	38	10	-		
44 S 8 M 20	44	1	112,05	110,67	121	-	28	96	38	10	-		
48 S 8 M 20	48	1	122,23	120,86	129	-	28	104	38	10	-		
56 S 8 M 20	56	2	142,60	141,23	149	117	28	80	38	10	-		
60 S 8 M 20	60	2	152,79	151,42	158	127	28	80	38	10	-		
64 S 8 M 20	64	2	162,97	161,60	168	137	28	80	38	10	-		
72 S 8 M 20	72	2	183,35	181,97	191	158	28	80	38	10	-		
80 S 8 M 20	80	6	203,72	202,35	-	179	28	90	38	10	-		
84 S 8 M 20	84	6	213,90	212,53	-	190	28	90	38	10	-		
90 S 8 M 20	90	6	229,18	227,81	-	204	28	90	38	10	-		
112 S 8 M 20	112	5	285,21	283,83	-	260	28	90	38	10	19		
144 S 8 M 20	144	5	366,69	365,32	-	342	28	90	38	10	19		
168 S 8 M 20	168	5	427,80	426,42	-	403	28	100	38	10	19		
192 S 8 M 20	192	5	488,92	487,54	-	465	28	100	38	10	19		
												without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición






S 8 M-30

code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Y mm	Z mm	Ød mm	flange flasque Bord valona	material materiel Werkstoff material
18 S 8 M 30	18	1	45,84	44,46	50	-	38	32	48	10	-	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
20 S 8 M 30	20	1	50,93	49,56	55	-	38	36	48	10	-		
22 S 8 M 30	22	1	56,02	54,65	62	-	38	43	48	10	-		
24 S 8 M 30	24	1	61,12	59,74	67	-	38	49	48	10	-		
26 S 8 M 30	26	1	66,21	64,84	73	-	38	50	48	10	-		
28 S 8 M 30	28	1	71,30	69,93	77	-	38	55	48	10	-		
30 S 8 M 30	30	1	76,39	75,02	84	-	38	60	48	10	-		
32 S 8 M 30	32	1	81,49	80,12	88	-	38	64	48	10	-		
34 S 8 M 30	34	1	86,58	85,21	94	-	38	70	48	10	-		
36 S 8 M 30	36	1	91,67	90,30	98	-	38	75	48	10	-		
38 S 8 M 30	38	1	96,77	95,39	104	-	38	80	48	10	-		
40 S 8 M 30	40	1	101,86	100,49	108	-	38	85	48	10	-		
44 S 8 M 30	44	1	112,05	110,67	121	-	38	96	48	10	-		
48 S 8 M 30	48	1	122,23	120,86	129	-	38	104	48	10	-		
56 S 8 M 30	56	2	142,60	141,23	149	117	38	90	48	10	-		
60 S 8 M 30	60	2	152,79	151,42	158	127	38	90	48	10	-		
64 S 8 M 30	64	2	162,97	161,60	168	137	38	90	48	10	-		
72 S 8 M 30	72	2	183,35	181,97	191	158	38	95	48	10	-		
80 S 8 M 30	80	6	203,72	202,35	-	179	38	100	48	10	-		
84 S 8 M 30	84	6	213,90	212,53	-	190	38	100	48	10	-		
90 S 8 M 30	90	6	229,18	227,81	-	204	38	100	48	10	-		
112 S 8 M 30	112	5	285,21	283,83	-	260	38	100	48	10	19		
144 S 8 M 30	144	5	366,69	365,32	-	342	38	100	48	10	19		
168 S 8 M 30	168	5	427,80	426,42	-	403	38	100	48	10	19		
192 S 8 M 30	192	5	488,92	487,54	-	465	38	100	48	10	19		
												without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición






S 8 M-50

code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Y mm	Z mm	Ød mm	flange flasque Bord valona	material materiel Werkstoff material
18 S 8 M 50	18	1	45,84	44,46	50	-	60	32	70	10	-	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
20 S 8 M 50	20	1	50,93	49,56	55	-	60	36	70	10	-		
22 S 8 M 50	22	1	56,02	54,65	62	-	60	43	70	10	-		
24 S 8 M 50	24	1	61,12	59,74	67	-	60	49	70	10	-		
26 S 8 M 50	26	1	66,21	64,84	73	-	60	50	70	10	-		
28 S 8 M 50	28	1	71,30	69,93	77	-	60	55	70	10	-		
30 S 8 M 50	30	1	76,39	75,02	84	-	60	60	70	10	-		
32 S 8 M 50	32	1	81,49	80,12	88	-	60	64	70	10	-		
34 S 8 M 50	34	1	86,58	85,21	94	-	60	70	70	10	-		
36 S 8 M 50	36	1	91,67	90,30	98	-	60	75	70	10	-		
38 S 8 M 50	38	1	96,77	95,39	104	-	60	80	70	10	-		
40 S 8 M 50	40	1	101,86	100,49	108	-	60	85	70	10	-		
44 S 8 M 50	44	1	112,05	110,67	121	-	60	96	70	10	-		
48 S 8 M 50	48	1	122,23	120,86	129	-	60	104	70	10	-		
56 S 8 M 50	56	8	142,60	141,23	149	117	60	90	60	-	-		
60 S 8 M 50	60	8	152,79	151,42	158	127	60	100	60	-	-		
64 S 8 M 50	64	8	162,97	161,60	168	137	60	100	60	-	-		
72 S 8 M 50	72	8	183,35	181,97	191	158	60	100	60	-	-		
80 S 8 M 50	80	8	203,72	202,35	-	179	60	110	60	-	-		
84 S 8 M 50	84	10	213,90	212,53	-	190	60	110	60	-	-		
90 S 8 M 50	90	10	229,18	227,81	-	204	60	110	60	-	-		
112 S 8 M 50	112	11	285,21	283,83	-	260	60	110	60	-	19		
144 S 8 M 50	144	11	366,69	365,32	-	342	60	110	60	-	19		
168 S 8 M 50	168	11	427,80	426,42	-	403	60	120	60	-	19		
192 S 8 M 50	192	11	488,92	487,54	-	465	60	130	60	-	19		



S 8 M-85



code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Y mm	Z mm	Ød mm	flange flasque Bord valona	material materiel Werkstoff material
22 S 8 M 85	22	1	56,02	54,65	62	-	95	43	105	10	-	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
24 S 8 M 85	24	1	61,12	59,74	67	-	95	49	105	10	-		
26 S 8 M 85	26	1	66,21	64,84	73	-	95	50	105	10	-		
28 S 8 M 85	28	1	71,30	69,93	77	-	95	55	105	10	-		
30 S 8 M 85	30	1	76,39	75,02	84	-	95	60	105	10	-		
32 S 8 M 85	32	1	81,49	80,12	88	-	95	64	105	10	-		
34 S 8 M 85	34	1	86,58	85,21	94	-	95	70	105	10	-		
36 S 8 M 85	36	1	91,67	90,30	98	-	95	75	105	10	-		
38 S 8 M 85	38	1	96,77	95,39	104	-	95	80	105	10	-		
40 S 8 M 85	40	1	101,86	100,49	108	-	95	85	105	10	-		
44 S 8 M 85	44	1	112,05	110,67	121	-	95	96	105	10	-		
48 S 8 M 85	48	1	122,23	120,86	129	-	95	104	105	10	-		
56 S 8 M 85	56	1	142,60	141,23	149	-	95	107	105	10	-		
60 S 8 M 85	60	1	152,79	151,42	158	-	95	132	105	10	-		
64 S 8 M 85	64	8	162,97	161,60	168	137	95	100	95	-	-		
72 S 8 M 85	72	8	183,35	181,97	191	158	95	110	95	-	-		
80 S 8 M 85	80	9	203,72	202,35	-	179	95	110	95	-	-		
84 S 8 M 85	84	9	213,90	212,53	-	190	95	110	95	-	-		
90 S 8 M 85	90	10	229,18	227,81	-	204	95	110	95	-	-		
112 S 8 M 85	112	11	285,21	283,83	-	260	95	110	95	-	19		
144 S 8 M 85	144	11	366,69	365,32	-	342	95	120	95	-	19		
168 S 8 M 85	168	11	427,80	426,42	-	403	95	120	95	-	19		
192 S 8 M 85	192	11	488,92	487,54	-	465	95	130	95	-	19		



Pitch - Pas
Teilung - Paso **14 mm**


S 14 M-40

code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Y mm	Z mm	Ød mm	flange flasque Bord valona	material materiel Werkstoff material
28 S 14 M 40	28	1	124,78	121,98	134	-	54	100	69	15	-	with flanges avec flasques mit Borde con valona	cast iron - fonte - Grauguss - fundición
29 S 14 M 40	29	1	129,23	126,44	134	-	54	107	69	15	-		
30 S 14 M 40	30	1	133,69	130,90	142	-	54	107	69	15	-		
32 S 14 M 40	32	1	142,60	139,81	150	-	54	114	69	15	-		
34 S 14 M 40	34	1	151,51	148,72	158	-	54	122	69	15	-		
36 S 14 M 40	36	1	160,43	157,63	166	-	54	128	69	15	-		
38 S 14 M 40	38	1	169,34	166,55	177	-	54	141	69	15	-		
40 S 14 M 40	40	1	178,25	175,46	186	-	54	148	69	15	-		
44 S 14 M 40	44	2	196,08	193,28	209	154	54	120	69	15	-		
48 S 14 M 40	48	2	213,90	211,11	216	172	54	135	69	15	-		
56 S 14 M 40	56	2	249,56	246,76	261	207	54	135	69	15	-		
60 S 14 M 40	60	2	267,38	264,59	274	225	54	135	69	15	-		
64 S 14 M 40	64	2	285,21	282,41	288	243	54	135	69	15	-		
72 S 14 M 40	72	5	320,86	318,06	-	279	54	135	69	15	19		
80 S 14 M 40	80	5	356,51	353,71	-	314	54	135	69	15	19		
84 S 14 M 40	84	5	374,33	371,54	-	332	54	135	69	15	19		
90 S 14 M 40	90	5	401,07	398,28	-	359	54	135	69	15	19		
112 S 14 M 40	112	5	499,11	496,32	-	457	54	135	69	15	19		
144 S 14 M 40	144	5	641,71	638,92	-	600	54	135	69	15	19		





S 14 M-55

code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Y mm	Z mm	Ød mm	flange flasque Bord valona	material materiel Werkstoff material
28 S 14 M 55	28	1	124,78	121,98	134	-	70	100	85	15	-	with flanges avec flasques mit Borde con valona	cast iron - fonte - Grauguss - fundición
29 S 14 M 55	29	1	129,23	126,44	134	-	70	107	85	15	-		
30 S 14 M 55	30	1	133,69	130,90	142	-	70	107	85	15	-		
32 S 14 M 55	32	1	142,60	139,81	150	-	70	114	85	15	-		
34 S 14 M 55	34	1	151,51	148,72	158	-	70	122	85	15	-		
36 S 14 M 55	36	1	160,43	157,63	166	-	70	128	85	15	-		
38 S 14 M 55	38	1	169,34	166,55	177	-	70	141	85	15	-		
40 S 14 M 55	40	1	178,25	175,46	186	-	70	148	85	15	-		
44 S 14 M 55	44	2	196,08	193,28	209	154	70	120	85	15	-		
48 S 14 M 55	48	8	213,90	211,11	216	172	70	135	70	-	-		
56 S 14 M 55	56	8	249,56	246,76	261	207	70	135	70	-	-		
60 S 14 M 55	60	8	267,38	264,59	274	225	70	135	70	-	-		
64 S 14 M 55	64	8	285,21	282,41	288	243	70	135	70	-	-		
72 S 14 M 55	72	11	320,86	318,06	-	279	70	135	70	-	19		
80 S 14 M 55	80	11	356,51	353,71	-	314	70	135	70	-	19		
84 S 14 M 55	84	11	374,33	371,54	-	332	70	135	70	-	19		
90 S 14 M 55	90	11	401,07	398,28	-	359	70	135	70	-	19		
112 S 14 M 55	112	11	499,11	496,32	-	457	70	135	70	-	19		
144 S 14 M 55	144	11	641,71	638,92	-	600	70	135	70	-	19		




S 14 M-85

code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Y mm	Z mm	Ød mm	flange flasque Bord valona	material materiel Werkstoff material
28 S 14 M 85	28	1	124,78	121,98	134	-	102	100	117	15	-	with flanges avec flasques mit Borde con valona	cast iron - fonte - Grauguss - fundición
29 S 14 M 85	29	1	129,23	126,44	134	-	102	107	117	15	-		
30 S 14 M 85	30	1	133,69	130,90	142	-	102	107	117	15	-		
32 S 14 M 85	32	1	142,60	139,81	150	-	102	114	117	15	-		
34 S 14 M 85	34	1	151,51	148,72	158	-	102	122	117	15	-		
36 S 14 M 85	36	1	160,43	157,63	166	-	102	128	117	15	-		
38 S 14 M 85	38	1	169,34	166,55	177	-	102	141	117	15	-		
40 S 14 M 85	40	1	178,25	175,46	186	-	102	148	117	15	-		
44 S 14 M 85	44	1	196,08	193,28	209	-	102	169	117	15	-		
48 S 14 M 85	48	1	213,90	211,11	216	-	102	186	117	15	-		
56 S 14 M 85	56	8	249,56	246,76	261	207	102	150	102	-	-		
60 S 14 M 85	60	8	267,38	264,59	274	225	102	150	102	-	-		
64 S 14 M 85	64	8	285,21	282,41	288	243	102	150	102	-	-		
72 S 14 M 85	72	11	320,86	318,06	-	279	102	150	102	-	19		
80 S 14 M 85	80	11	356,51	353,71	-	314	102	150	102	-	19		
84 S 14 M 85	84	11	374,33	371,54	-	332	102	150	102	-	19		
90 S 14 M 85	90	11	401,07	398,28	-	359	102	150	102	-	19		
112 S 14 M 85	112	11	499,11	496,32	-	457	102	150	102	-	19		
144 S 14 M 85	144	11	641,71	638,92	-	600	102	150	102	-	19		




S 14 M-115

code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Y mm	Z mm	Ød mm	flange flasque Bord valona	material materiel Werkstoff material
28 S 14 M 115	28	1	124,78	121,98	134	-	133	100	148	15	-	with flanges avec flasques mit Borde con valona	cast iron - fonte - Grauguss - fundición
29 S 14 M 115	29	1	129,23	126,44	134	-	133	107	148	15	-		
30 S 14 M 115	30	1	133,69	130,90	142	-	133	107	148	15	-		
32 S 14 M 115	32	1	142,60	139,81	150	-	133	114	148	15	-		
34 S 14 M 115	34	1	151,51	148,72	158	-	133	122	148	15	-		
36 S 14 M 115	36	1	160,43	157,63	166	-	133	128	148	15	-		
38 S 14 M 115	38	1	169,34	166,55	177	-	133	141	148	15	-		
40 S 14 M 115	40	1	178,25	175,46	186	-	133	148	148	15	-		
44 S 14 M 115	44	1	196,08	193,28	209	-	133	169	148	15	-		
48 S 14 M 115	48	1	213,90	211,11	216	-	133	186	148	15	-		
56 S 14 M 115	56	2	249,56	246,76	261	207	133	150	133	-	-		
60 S 14 M 115	60	8	267,38	264,59	274	225	133	150	133	-	-		
64 S 14 M 115	64	8	285,21	282,41	288	243	133	150	133	-	-		
72 S 14 M 115	72	11	320,86	318,06	-	279	133	150	133	-	19		
80 S 14 M 115	80	11	356,51	353,71	-	314	133	150	133	-	19		
84 S 14 M 115	84	11	374,33	371,54	-	332	133	150	133	-	19		
90 S 14 M 115	90	11	401,07	398,28	-	359	133	150	133	-	19		
112 S 14 M 115	112	11	499,11	496,32	-	457	133	150	133	-	19		
144 S 14 M 115	144	11	641,71	638,92	-	600	133	150	133	-	19		



S 14 M-170

code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Y mm	Z mm	Ød mm	flange flasque Bord valona	material materiel Werkstoff material
28 S 14 M 170	28	1	124,78	121,98	134	-	187	100	202	15	-	with flanges avec flasques mit Borde con valona	cast iron - fonte - Grauguss - fundición
29 S 14 M 170	29	1	129,23	126,44	134	-	187	107	202	15	-		
30 S 14 M 170	30	1	133,69	130,90	142	-	187	107	202	15	-		
32 S 14 M 170	32	1	142,60	139,81	150	-	187	114	202	15	-		
34 S 14 M 170	34	1	151,51	148,72	158	-	187	122	202	15	-		
36 S 14 M 170	36	1	160,43	157,63	166	-	187	128	202	15	-		
38 S 14 M 170	38	1	169,34	166,55	177	-	187	141	202	15	-		
40 S 14 M 170	40	1	178,25	175,46	186	-	187	148	202	15	-		
44 S 14 M 170	44	1	196,08	193,28	209	-	187	169	202	15	-		
48 S 14 M 170	48	1	213,90	211,11	216	-	187	186	202	15	-		
56 S 14 M 170	56	2	249,56	246,76	261	207	187	160	202	15	-		
60 S 14 M 170	60	2	267,38	264,59	274	225	187	160	202	15	-		
64 S 14 M 170	64	2	285,21	282,41	288	243	187	180	202	15	-		
72 S 14 M 170	72	12	320,86	318,06	-	279	187	180	187	-	19		
80 S 14 M 170	80	12	356,51	353,71	-	314	187	180	187	-	19		
84 S 14 M 170	84	11	374,33	371,54	-	332	187	180	187	-	19		
90 S 14 M 170	90	11	401,07	398,28	-	359	187	180	187	-	19		
112 S 14 M 170	112	11	499,11	496,32	-	457	187	200	187	-	19		
144 S 14 M 170	144	11	641,71	638,92	-	600	187	220	187	-	19		



STANDARD «SUPER TORQUE» TIMING PULLEYS FOR ASSEMBLY WITH SER-SIT® CONICAL BUSHES

POULIES DENTEES DE SERIE «SUPER TORQUE» POUR MONTAGE AVEC MOYEU AMOVIBLE SER-SIT®

STANDARD-ZAHNSCHEIBEN «SUPER TORQUE» ZUR MONTAGE MIT SER-SIT® SPANNBUCHSEN

POLEAS DENTADAS DE SERIE «SUPER TORQUE» PARA MONTAJE CON BUJE CONICO SER-SIT®

Pitch - Pas
Teilung - Paso **8 mm**

S 8 M-20

code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Z mm	Y mm	SER-SIT® code	flange flasque Bord valona	material materiel Werkstoff material
B 22 S 8 M 20	22	4	56,02	54,65	62	38	28	-	6	22	1008	with flanges avec flasques mit Borde con valona	cast iron - fonte - Grauguss - fundición
B 24 S 8 M 20	24	4	61,12	59,74	67	42	28	-	6	22	1108		
B 26 S 8 M 20	26	4	66,21	64,84	73	45	28	-	6	22	1108		
B 28 S 8 M 20	28	4	71,30	69,93	77	52	28	-	6	22	1108		
B 30 S 8 M 20	30	4	76,39	75,02	84	56	28	-	6	22	1108		
B 32 S 8 M 20	32	4	81,49	80,12	88	65	28	-	3	25	1610		
B 34 S 8 M 20	34	4	86,58	85,21	94	66	28	-	3	25	1610		
B 36 S 8 M 20	36	4	91,67	90,30	98	68	28	-	3	25	1610		
B 38 S 8 M 20	38	4	96,77	95,39	104	76	28	-	3	25	1610		
B 40 S 8 M 20	40	4	101,86	100,49	108	80	28	-	3	25	1610		
B 44 S 8 M 20	44	1	112,05	110,67	121	-	28	99	4	32	2012		
B 48 S 8 M 20	48	1	122,23	120,86	129	-	28	105	4	32	2012		
B 56 S 8 M 20	56	1	142,60	141,23	149	-	28	105	4	32	2012		
B 64 S 8 M 20	64	6	162,97	161,60	168	140	28	110	4	32	2012		
B 72 S 8 M 20	72	6	183,35	181,97	191	158	28	110	4	32	2012		
B 80 S 8 M 20	80	9	203,72	202,35	-	178	28	110	4	32	2012		
B 90 S 8 M 20	90	12	229,18	227,81	-	204	28	110	4	32	2012		


★ without flanges - sous flasques - ohne Borde - sin valona

S 8 M-30


code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Z mm	Y mm	SER-SIT® code	flange flasque Bord valona	material materiel Werkstoff material
B 22 S 8 M 30	22	4	56,02	54,65	62	38	38	-	16	22	1008	with flanges avec flasques mit Borde con valona	cast iron - fonte - Grauguss - fundición
B 24 S 8 M 30	24	4	61,12	59,74	67	42	38	-	16	22	1108		
B 26 S 8 M 30	26	4	66,21	64,84	73	45	38	-	16	22	1108		
B 28 S 8 M 30	28	4	71,30	69,93	77	52	38	-	16	22	1108		
B 30 S 8 M 30	30	8	76,39	75,02	84	-	38	-	-	38	1615		
B 32 S 8 M 30	32	8	81,49	80,12	88	-	38	-	-	38	1615		
B 34 S 8 M 30	34	8	86,58	85,21	94	-	38	-	-	38	1615		
B 36 S 8 M 30	36	8	91,67	90,30	98	-	38	-	-	38	1615		
B 38 S 8 M 30	38	8	96,77	95,39	104	-	38	-	-	38	1615		
B 40 S 8 M 30	40	8	101,86	100,49	108	-	38	-	-	38	1615		
B 44 S 8 M 30	44	2	112,05	110,67	121	90	38	-	-	32	2012		
B 48 S 8 M 30	48	2	122,23	120,86	129	98	38	-	3	32	2012		
B 56 S 8 M 30	56	2	142,60	141,23	149	118	38	-	3	32	2012		
B 64 S 8 M 30	64	6	162,97	161,60	168	140	38	120	3	45	2517		
B 72 S 8 M 30	72	6	183,35	181,97	191	158	38	120	7	45	2517		
B 80 S 8 M 30	80	9	203,72	202,35	-	178	38	120	7	45	2517		
B 90 S 8 M 30	90	12	229,18	227,81	-	204	38	120	7	45	2517		
B 112 S 8 M 30	112	12	285,21	283,83	-	260	38	120	7	45	2517		
B 144 S 8 M 30	144	12	366,69	365,32	-	341	38	120	7	45	2517		

S 8 M-50


code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Z mm	Y mm	SER-SIT® code	flange flasque Bord valona	material materiel Werkstoff material
B 28 S 8 M 50	28	2	71,30	69,93	77	52	60	-	19	22	1108	with flanges avec flasques mit Borde con valona	cast iron - fonte - Grauguss - fundición
B 30 S 8 M 50	30	4	76,39	75,02	84	58	60	-	22	38	1615		
B 32 S 8 M 50	32	4	81,49	80,12	88	60	60	-	22	38	1615		
B 34 S 8 M 50	34	4	86,58	85,21	94	66	60	-	22	38	1615		
B 36 S 8 M 50	36	4	91,67	90,30	98	68	60	-	22	38	1615		
B 38 S 8 M 50	38	4	96,77	95,39	104	75	60	-	22	38	1615		
B 40 S 8 M 50	40	2	101,86	100,49	108	80	60	-	14	32	2012		
B 44 S 8 M 50	44	2	112,05	110,67	121	90	60	-	14	32	2012		
B 48 S 8 M 50	48	2	122,23	120,86	129	100	60	-	14	32	2012		
B 56 S 8 M 50	56	2	142,60	141,23	149	120	60	-	7,5	45	2517		
B 64 S 8 M 50	64	5	162,97	161,60	168	138	60	120	7,5	45	2517		
B 72 S 8 M 50	72	5	183,35	181,97	191	158	60	120	7,5	45	2517		
B 80 S 8 M 50	80	7	203,72	202,35	-	178	60	140	4,5	51	3020		
B 90 S 8 M 50	90	7	229,18	227,81	-	204	60	146	4,5	51	3020		
B 112 S 8 M 50	112	14	285,21	283,83	-	260	60	146	4,5	51	3020		
B 144 S 8 M 50	144	14	366,69	365,32	-	341	60	146	4,5	51	3020		
B 168 S 8 M 50	168	14	427,80	426,42	-	402	60	146	4,5	51	3020		
B 192 S 8 M 50	192	14	488,92	487,54	-	462	60	146	4,5	51	3020		




1




2




3



4




5




6

S 8 M-85

code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Z mm	Y mm	SER-SIT® code	flange flasque Bord valona	material materiel Werkstoff material
B 34 S 8 M 85	34	2	86,58	85,21	94	66	95	-	28,5	38	1615	with flanges avec flasques mit Borde con valona	cast iron - fonte - Grauguss - fundición
B 36 S 8 M 85	36	2	91,67	90,30	98	68	95	-	28,5	38	1615		
B 38 S 8 M 85	38	2	96,77	95,39	104	75	95	-	28,5	38	1615		
B 40 S 8 M 85	40	2	101,86	100,49	108	80	95	-	31,5	32	2012		
B 44 S 8 M 85	44	2	112,05	110,67	121	90	95	-	31,5	32	2012		
B 48 S 8 M 85	48	2	122,23	120,86	129	100	95	-	25	45	2517		
B 56 S 8 M 85	56	2	142,60	141,23	149	120	95	-	25	45	2517		
B 64 S 8 M 85	64	2	162,97	161,60	168	138	95	-	25	45	2517		
B 72 S 8 M 85	72	2	183,35	181,97	191	158	95	-	22	51	3020		
B 80 S 8 M 85	80	7	203,72	202,35	-	178	95	140	22	51	3020		
B 90 S 8 M 85	90	7	229,18	227,81	-	204	95	146	22	51	3020		
B 112 S 8 M 85	112	14	285,21	283,83	-	260	95	146	22	51	3020		
B 144 S 8 M 85	144	14	366,69	365,32	-	341	95	140	9,5	76	3030		
B 168 S 8 M 85	168	14	427,80	426,42	-	402	95	140	9,5	76	3030		
B 192 S 8 M 85	192	14	488,92	487,54	-	462	95	140	9,5	76	3030		



6




7


Pitch - Pas
Teilung - Paso **14 mm**

S 14 M-40

code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Z mm	Y mm	SER-SIT® code	flange flasque Bord valona	material materiel Werkstoff material
B 28 S 14 M 40	28	2	124,78	121,98	134	98	54	-	11	32	2012	with flanges avec flasques mit Borde con valona	cast iron - fonte - Grauguss - fundición
B 29 S 14 M 40	29	2	129,23	126,44	134	100	54	-	11	32	2012		
B 30 S 14 M 40	30	2	133,69	130,90	142	100	54	-	11	32	2012		
B 32 S 14 M 40	32	2	142,60	139,81	150	104	54	-	11	32	2012		
B 34 S 14 M 40	34	2	151,51	148,72	158	110	54	-	4,5	45	2517		
B 36 S 14 M 40	36	2	160,43	157,63	166	120	54	-	4,5	45	2517		
B 38 S 14 M 40	38	2	169,34	166,55	177	130	54	-	4,5	45	2517		
B 40 S 14 M 40	40	2	178,25	175,46	186	138	54	-	4,5	45	2517		
B 44 S 14 M 40	44	2	196,08	193,28	209	154	54	-	1,5	51	3020		
B 48 S 14 M 40	48	2	213,90	211,11	216	172	54	-	1,5	51	3020		
B 56 S 14 M 40	56	5	249,56	246,76	261	207	54	146	1,5	51	3020		
B 64 S 14 M 40	64	5	285,21	282,41	288	243	54	146	1,5	51	3020		
B 72 S 14 M 40	72	7	320,86	318,06	-	279	54	146	1,5	51	3020		
B 80 S 14 M 40	80	14	356,51	353,71	-	314	54	146	1,5	51	3020		
B 90 S 14 M 40	90	14	401,07	398,28	-	359	54	146	1,5	51	3020		
B 112 S 14 M 40	112	14	499,11	496,32	-	457	54	146	1,5	51	3020		
B 144 S 14 M 40	144	14	641,71	638,92	-	600	54	146	1,5	51	3020		




9



12

S 14 M-55


code code Code código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Z mm	Y mm	SER-SIT® code	flange flasque Bord valona	material materiel Werkstoff material
B 28 S 14 M 55	28	2	124,78	121,98	134	98	70	-	19	32	2012	with flanges avec flasques mit Borde con valona	cast iron - fonte - Grauguss - fundición
B 29 S 14 M 55	29	2	129,23	126,44	134	100	70	-	19	32	2012		
B 30 S 14 M 55	30	2	133,69	130,90	142	100	70	-	12,5	45	2517		
B 32 S 14 M 55	32	2	142,60	139,81	150	104	70	-	12,5	45	2517		
B 34 S 14 M 55	34	2	151,51	148,72	158	110	70	-	12,5	45	2517		
B 36 S 14 M 55	36	2	160,43	157,63	166	120	70	-	12,5	45	2517		
B 38 S 14 M 55	38	2	169,34	166,55	177	130	70	-	12,5	45	2517		
B 40 S 14 M 55	40	2	178,25	175,46	186	138	70	-	12,5	45	2517		
B 44 S 14 M 55	44	2	196,08	193,28	209	154	70	-	9,5	51	3020		
B 48 S 14 M 55	48	2	213,90	211,11	216	172	70	-	9,5	51	3020		
B 56 S 14 M 55	56	5	249,56	246,76	261	207	70	146	9,5	51	3020		
B 64 S 14 M 55	64	5	285,21	282,41	288	243	70	146	9,5	51	3020		
B 72 S 14 M 55	72	7	320,86	318,06	-	279	70	146	9,5	51	3020		
B 80 S 14 M 55	80	14	356,51	353,71	-	314	70	146	9,5	51	3020		
B 90 S 14 M 55	90	14	401,07	398,28	-	359	70	146	9,5	51	3020		
B 112 S 14 M 55	112	14	499,11	496,32	-	457	70	146	9,5	51	3020		
B 144 S 14 M 55	144	14	641,71	638,92	-	600	70	146	9,5	51	3020		




14

S 14 M-85

code code Code Código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Z mm	Y mm	SER-SIT code	flange flasque Bord valona	material materiel Werkstoff material
B 28 S 14 M 85	28	2	124,78	121,98	134	98	102	-	28,5	45	2517	with flanges avec flasques mit Borde con valona	cast iron - fonte - Grauguss - fundición
B 29 S 14 M 85	29	2	129,23	126,44	134	100	102	-	28,5	45	2517		
B 30 S 14 M 85	30	2	133,69	130,90	142	100	102	-	28,5	45	2517		
B 32 S 14 M 85	32	2	142,60	139,81	150	104	102	-	28,5	45	2517		
B 34 S 14 M 85	34	2	151,51	148,72	158	110	102	-	28,5	45	2517		
B 36 S 14 M 85	36	2	160,43	157,63	166	120	102	-	25,5	51	3020		
B 38 S 14 M 85	38	2	169,34	166,55	177	130	102	-	25,5	51	3020		
B 40 S 14 M 85	40	2	178,25	175,46	186	138	102	-	25,5	51	3020		
B 44 S 14 M 85	44	2	196,08	193,28	209	154	102	-	13	76	3030		
B 48 S 14 M 85	48	2	213,90	211,11	216	172	102	-	13	76	3030		
B 56 S 14 M 85	56	2	249,56	246,76	261	207	102	-	6,5	89	3535		
B 64 S 14 M 85	64	5	285,21	282,41	288	243	102	178	6,5	89	3535		
B 72 S 14 M 85	72	7	320,86	318,06	-	279	102	178	6,5	89	3535		
B 80 S 14 M 85	80	14	356,51	353,71	-	314	102	178	6,5	89	3535		
B 90 S 14 M 85	90	14	401,07	398,28	-	359	102	178	6,5	89	3535		
B 112 S 14 M 85	112	14	499,11	496,32	-	457	102	178	6,5	89	3535		
B 144 S 14 M 85	144	14	641,71	638,92	-	600	102	178	6,5	89	3535		




2




5

S 14 M-115

code code Code Código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Z mm	Y mm	SER-SIT code	flange flasque Bord valona	material materiel Werkstoff material
B 28 S 14 M 115	28	2	124,78	121,98	134	98	133	-	44	45	2517	with flanges avec flasques mit Borde con valona	cast iron - fonte - Grauguss - fundición
B 29 S 14 M 115	29	2	129,23	126,44	134	100	133	-	44	45	2517		
B 30 S 14 M 115	30	2	133,69	130,90	142	100	133	-	44	45	2517		
B 32 S 14 M 115	32	2	142,60	139,81	150	104	133	-	44	45	2517		
B 34 S 14 M 115	34	2	151,51	148,72	158	110	133	-	44	45	2517		
B 36 S 14 M 115	36	2	160,43	157,63	166	120	133	-	41	51	3020		
B 38 S 14 M 115	38	2	169,34	166,55	177	130	133	-	41	51	3020		
B 40 S 14 M 115	40	2	178,25	175,46	186	138	133	-	41	51	3020		
B 44 S 14 M 115	44	2	196,08	193,28	209	154	133	-	28,5	76	3030		
B 48 S 14 M 115	48	2	213,90	211,11	216	172	133	-	28,5	76	3030		
B 56 S 14 M 115	56	2	249,56	246,76	261	207	133	-	22	89	3535		
B 64 S 14 M 115	64	5	285,21	282,41	288	243	133	178	22	89	3535		
B 72 S 14 M 115	72	7	320,86	318,06	-	279	133	178	22	89	3535		
B 80 S 14 M 115	80	14	356,51	353,71	-	314	133	178	22	89	3535		
B 90 S 14 M 115	90	14	401,07	398,28	-	359	133	178	22	89	3535		
B 112 S 14 M 115	112	14	499,11	496,32	-	457	133	178	22	89	3535		
B 144 S 14 M 115	144	14	641,71	638,92	-	600	133	215	15,5	102	4040		



7



14

S 14 M-170

code code Code Código	teeth dents Zähne dientes	type type Typ tipo	R mm	S mm	Øe mm	U mm	W mm	H mm	Z mm	Y mm	SER-SIT code	flange flasque Bord valona	material materiel Werkstoff material
B 38 S 14 M 170	38	2	169,34	166,55	177	130	187	-	55,5	76	3030	with flanges avec flasques mit Borde con valona	cast iron - fonte Grauguss - fundición
B 40 S 14 M 170	40	2	178,25	175,46	186	138	187	-	55,5	76	3030		
B 44 S 14 M 170	44	2	196,08	193,28	209	154	187	-	49	89	3535		
B 48 S 14 M 170	48	2	213,90	211,11	216	172	187	-	49	89	3535		
B 56 S 14 M 170	56	2	249,56	246,76	261	207	187	-	49	89	3535		
B 64 S 14 M 170	64	2	285,21	282,41	288	243	187	-	42,5	102	4040		
B 72 S 14 M 170	72	2	320,86	318,06	-	279	187	215	42,5	102	4040		
B 80 S 14 M 170	80	7	356,51	353,71	-	314	187	215	42,5	102	4040		
B 90 S 14 M 170	90	14	401,07	398,28	-	359	187	215	42,5	102	4040		
B 112 S 14 M 170	112	14	499,11	496,32	-	457	187	267	30	127	5050		
B 144 S 14 M 170	144	14	641,71	638,92	-	600	187	267	30	127	5050		