

STANDARD METALLIC TIMING PULLEYS

POULIES DENTEES METALLIQUES DE SERIE


STANDARD-METALL-ZAHNSCHEIBEN

POLEAS DENTADAS DE SERIE METALICA


PD ... XL 037

mm


code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 10 XL 037	1	10	16,17	15,66	-	20	14,3	12	25	10,7	-	with flanges avec flasques mit Borde con valona	Aluminium - Aluminium - Aluminio
PD 11 XL 037	1	11	17,79	17,28	-	20	14,3	12	25	10,7	-		
PD 12 XL 037	1	12	19,40	18,89	-	24	14,3	12	25	10,7	-		
PD 13 XL 037	1	13	21,02	20,51	-	24	14,3	12	25	10,7	-		
PD 14 XL 037	1	14	22,64	22,16	-	27	14,3	16	25	10,7	-		
PD 15 XL 037	1	15	24,25	23,74	-	27	14,3	17	25	10,7	-		
PD 16 XL 037	1	16	25,87	25,36	-	30	14,3	20	25	10,7	-		
PD 17 XL 037	1	17	27,49	26,98	-	30	14,3	20	25	10,7	-		
PD 18 XL 037	1	18	29,11	28,60	-	33	14,3	20	25	10,7	-		
PD 19 XL 037	1	19	30,72	30,21	-	36	14,3	25	25	10,7	-		
PD 20 XL 037	1	20	32,34	31,83	-	36	14,3	25	25	10,7	-		
PD 21 XL 037	1	21	33,96	33,45	-	40	14,3	26	25	10,7	-		
PD 22 XL 037	1	22	35,57	35,06	-	40	14,3	27	25	10,7	-		
PD 24 XL 037	1	24	38,81	38,30	-	46	14,3	30	25	10,7	-		
PD 26 XL 037	1	26	42,03	41,53	-	46	14,3	30	25	10,7	-		
PD 27 XL 037	1	27	43,66	43,15	-	50	14,3	32	25	10,7	-	without flanges sous flasques ohne Borde sin valona	
PD 28 XL 037	1	28	45,28	44,77	-	50	14,3	34	25	10,7	-		
PD 29 XL 037	1	29	46,89	46,38	-	50	14,3	34	25	10,7	-		
PD 30 XL 037	1	30	49,51	48,00	-	55	14,3	38	25	10,7	-		
PD 32 XL 037	1	32	51,74	51,23	-	-	14,3	45	25	10,7	-		
PD 34 XL 037	1	34	54,98	54,47	-	-	14,3	45	25	10,7	-		
PD 35 XL 037	1	35	56,60	56,09	-	-	14,3	45	25	10,7	-		
PD 36 XL 037	1	36	58,21	57,70	-	-	14,3	52	25	10,7	-		
PD 38 XL 037	1	38	61,45	60,94	-	-	14,3	52	25	10,7	-		
PD 39 XL 037	1	39	63,06	62,55	-	-	14,3	52	25	10,7	-		
PD 40 XL 037	1	40	64,68	64,17	-	-	14,3	52	25	10,7	-		
PD 41 XL 037	1	41	66,30	65,79	-	-	14,3	52	25	10,7	-		
PD 42 XL 037	1	42	67,91	67,40	-	-	14,3	52	25	10,7	-		
PD 43 XL 037	1	43	69,53	69,02	-	-	14,3	52	25	10,7	-		
PD 44 XL 037	1	44	71,15	70,64	-	-	14,3	52	25	10,7	-		
PD 45 XL 037	1	45	72,77	72,26	-	-	14,3	52	25	10,7	-	without flanges sous flasques ohne Borde sin valona	
PD 46 XL 037	1	46	74,38	73,87	-	-	14,3	52	25	10,7	-		
PD 47 XL 037	1	47	76,00	75,49	-	-	14,3	52	25	10,7	-		
PD 48 XL 037	1	48	77,62	77,11	-	-	14,3	52	25	10,7	-		
PD 49 XL 037	2	49	76,23	78,72	54	-	14,3	52	25	10,7	-		
PD 52 XL 037	2	52	84,08	83,57	58	-	14,3	52	25	10,7	-		
PD 56 XL 037	2	56	90,55	90,04	65	-	14,3	52	25	10,7	-		
PD 57 XL 037	2	57	92,17	91,66	67	-	14,3	52	25	10,7	-		
PD 58 XL 037	2	58	93,79	93,28	69	-	14,3	52	25	10,7	-		
PD 59 XL 037	2	59	95,40	94,89	70	-	14,3	52	25	10,7	-		
PD 60 XL 037	2	60	97,02	96,51	71	-	14,3	52	25	10,7	-		
PD 68 XL 037	2	68	109,96	109,45	84	-	14,3	52	25	10,7	-		
PD 69 XL 037	2	69	111,57	111,06	86	-	14,3	52	25	10,7	-		
PD 70 XL 037	2	70	113,19	112,68	87	-	14,3	52	25	10,7	-		
PD 71 XL 037	2	71	114,81	114,30	89	-	14,3	52	25	10,7	-		
PD 72 XL 037	2	72	116,43	115,92	91	-	14,3	52	25	10,7	-		




1




2



3



4



5

PD ... L 050


mm

code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 10 L 050	1	10	30,32	29,56	-	33	19	20	30	11	-	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PD 11 L 050	1	11	33,35	32,59	-	36	19	20	30	11	-		
PD 12 L 050	1	12	36,38	35,62	-	40	19	27	30	11	-		
PD 13 L 050	1	13	39,41	38,65	-	47	19	27	30	11	-		
PD 14 L 050	1	14	42,45	41,69	-	46	19	29	30	11	-		
PD 15 L 050	1	15	45,48	44,72	-	50	19	32	30	11	-		
PD 16 L 050	1	16	48,51	47,75	-	55	19	37	30	11	-		
PD 17 L 050	1	17	51,54	50,78	-	55	19	37	30	11	-		
PD 18 L 050	1	18	54,57	53,81	-	62	19	41	30	11	-		
PD 19 L 050	1	19	57,61	56,84	-	62	19	41	30	11	-		
PD 20 L 050	1	20	60,64	59,88	-	67	19	47	30	11	-		
PD 21 L 050	1	21	63,67	62,91	-	67	19	47	30	11	-		
PD 22 L 050	1	22	66,70	65,94	-	73	19	50	30	11	-		
PD 23 L 050	1	24	69,73	68,97	-	73	19	50	30	11	-		
PD 24 L 050	1	26	72,77	72,01	-	80	19	57	32	13	-		
PD 25 L 050	1	25	75,80	75,04	-	80	19	58	32	13	-	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 26 L 050	1	26	78,83	78,07	-	88	19	64	32	13	-		
PD 27 L 050	1	27	81,86	81,10	-	88	19	64	32	13	-		
PD 28 L 050	1	28	84,89	84,13	-	94	19	70	32	13	-		
PD 29 L 050	1	29	87,93	87,16	-	94	19	70	32	13	-		
PD 30 L 050	1	30	90,96	90,20	-	98	19	72	34	15	-		
PD 32 L 050	1	32	97,02	96,26	-	100	19	75	34	15	-		
PD 33 L 050	1	33	100,05	99,29	-	108	19	80	34	15	-		
PD 34 L 050	1	34	103,08	102,32	-	108	19	85	34	15	-		
PD 35 L 050	1	35	106,12	105,35	-	113	19	88	34	15	-		
PD 36 L 050	1	36	109,15	108,39	-	113	19	88	34	15	-		
PD 40 L 050	2	40	121,28	120,52	100	129	19	68	34	15	-		
PD 41 L 050	2	41	124,31	123,55	103	129	19	68	34	15	-		
PD 42 L 050	2	42	127,34	126,58	106	137	19	68	34	15	-		
PD 44 L 050	2	44	133,40	132,64	112	142	19	68	34	15	-		
PD 45 L 050	2	45	136,44	135,67	115	142	19	68	34	15	-	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 47 L 050	2	47	142,50	141,74	121	149	19	68	34	15	-		
PD 48 L 050	2	48	145,53	144,77	124	151	19	68	46	27	-		
PD 49 L 050	3	49	148,56	147,80	127	-	19	68	46	27	-		
PD 50 L 050	3	50	151,60	150,83	130	-	19	68	46	27	-		
PD 52 L 050	3	52	157,66	156,90	136	-	19	68	46	27	-		
PD 56 L 050	3	56	169,79	169,02	139	-	19	68	46	27	-		
PD 57 L 050	3	57	172,82	172,06	152	-	19	68	46	27	-		
PD 60 L 050	3	60	181,91	181,15	160	-	19	68	46	27	-		
PD 65 L 050	3	65	197,07	196,31	176	-	19	68	46	27	-		
PD 66 L 050	3	66	200,11	199,34	179	-	19	68	46	27	-		
PD 72 L 050	3	72	218,30	217,54	197	-	19	75	46	27	-		
PD 84 L 050	3	84	254,68	253,92	233	-	19	75	46	27	-		
PD 90 L 050	4	90	272,87	272,11	252	-	19	75	46	27	-		
PD 96 L 050	4	96	291,06	290,30	270	-	19	80	46	27	-		
PD 120 L 050	5	120	363,83	363,07	342	-	19	85	46	27	-		


PD ... L 075

mm

code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 10 L 075	1	10	30,32	29,56	-	33	25,4	20	38	12,6	-	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PD 11 L 075	1	11	33,35	32,59	-	36	25,4	20	38	12,6	-		
PD 12 L 075	1	12	36,38	35,62	-	40	25,4	27	38	12,6	-		
PD 13 L 075	1	13	39,41	38,65	-	47	25,4	27	38	12,6	-		
PD 14 L 075	1	14	42,45	41,69	-	46	25,4	29	38	12,6	-		
PD 15 L 075	1	15	45,48	44,72	-	50	25,4	32	38	12,6	-		
PD 16 L 075	1	16	48,51	47,75	-	55	25,4	37	38	12,6	-		
PD 17 L 075	1	17	51,54	50,78	-	55	25,4	37	38	12,6	-		
PD 18 L 075	1	18	54,57	53,81	-	62	25,4	41	38	12,6	-		
PD 19 L 075	1	19	57,61	56,84	-	62	25,4	41	38	12,6	-		
PD 20 L 075	1	20	60,64	59,88	-	67	25,4	47	38	12,6	-		
PD 21 L 075	1	21	63,67	62,91	-	67	25,4	47	38	12,6	-		
PD 22 L 075	1	22	66,70	65,94	-	73	25,4	50	38	12,6	-		
PD 23 L 075	1	24	69,73	68,97	-	73	25,4	50	30	12,6	-		
PD 24 L 075	1	26	72,77	72,01	-	80	25,4	57	38	12,6	-		
PD 25 L 075	1	25	75,80	75,04	-	80	25,4	58	38	12,6	-	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 26 L 075	1	26	78,83	78,07	-	88	25,4	64	38	12,6	-		
PD 27 L 075	1	27	81,86	81,10	-	88	25,4	64	38	12,6	-		
PD 28 L 075	1	28	84,89	84,13	-	94	25,4	70	38	12,6	-		
PD 29 L 075	1	29	87,93	87,16	-	94	25,4	70	38	12,6	-		
PD 30 L 075	1	30	90,96	90,20	-	98	25,4	72	38	12,6	-		
PD 32 L 075	1	32	97,02	96,26	-	100	25,4	75	38	12,6	-		
PD 33 L 075	1	33	100,05	99,29	-	108	25,4	80	38	12,6	-		
PD 34 L 075	1	34	103,08	102,32	-	108	25,4	85	38	12,6	-		
PD 35 L 075	1	35	106,12	105,35	-	113	25,4	88	38	12,6	-		
PD 36 L 075	1	36	109,15	108,39	-	113	25,4	88	38	12,6	-		
PD 40 L 075	2	40	121,28	120,52	100	129	25,4	68	38	12,6	-		
PD 41 L 075	2	41	124,31	123,55	103	129	25,4	68	38	12,6	-		
PD 42 L 075	2	42	127,34	126,58	106	137	25,4	68	38	12,6	-		
PD 44 L 075	2	44	133,40	132,64	112	142	25,4	68	38	12,6	-		
PD 45 L 075	2	45	136,44	135,67	115	142	25,4	68	38	12,6	-		
PD 47 L 075	2	47	142,50	141,74	121	149	25,4	68	38	12,6	-		
PD 48 L 075	2	48	145,53	144,77	124	151	25,4	68	48	22,6	-		
PD 49 L 075	3	49	148,56	147,80	127	-	25,4	68	48	22,6	-		
PD 50 L 075	3	50	151,60	150,83	130	-	25,4	68	48	22,6	-		
PD 52 L 075	3	52	157,66	156,90	136	-	25,4	68	48	22,6	-	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 56 L 075	3	56	169,79	169,02	139	-	25,4	68	48	22,6	-		
PD 57 L 075	3	57	172,82	172,06	152	-	25,4	68	48	22,6	-		
PD 60 L 075	3	60	181,91	181,15	160	-	25,4	68	48	22,6	-		
PD 65 L 075	3	65	197,07	196,31	176	-	25,4	68	48	22,6	-		
PD 66 L 075	3	66	200,11	199,34	179	-	25,4	68	48	22,6	-		
PD 72 L 075	3	72	218,30	217,54	197	-	25,4	75	48	22,6	-		
PD 84 L 075	3	84	254,68	253,92	233	-	25,4	75	48	22,6	-		
PD 90 L 075	4	90	272,87	272,11	252	-	25,4	75	48	22,6	19		
PD 96 L 075	4	96	291,06	290,30	270	-	25,4	80	48	22,6	19		
PD 120 L 075	5	120	363,83	363,07	342	-	25,4	85	48	22,6	19		



1




2


PD ... L 100

mm


code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 10 L 100	1	10	30,32	29,56	-	33	32	20	46	14	-	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PD 11 L 100	1	11	33,35	32,59	-	36	32	20	46	14	-		
PD 12 L 100	1	12	36,38	35,62	-	40	32	27	46	14	-		
PD 13 L 100	1	13	39,41	38,65	-	47	32	27	46	14	-		
PD 14 L 100	1	14	42,45	41,69	-	46	32	29	46	14	-		
PD 15 L 100	1	15	45,48	44,72	-	50	32	32	46	14	-		
PD 16 L 100	1	16	48,51	47,75	-	55	32	37	46	14	-		
PD 17 L 100	1	17	51,54	50,78	-	55	32	37	46	14	-		
PD 18 L 100	1	18	54,57	53,81	-	62	32	41	46	14	-		
PD 19 L 100	1	19	57,61	56,84	-	62	32	41	46	14	-		
PD 20 L 100	1	20	60,64	59,88	-	67	32	47	46	14	-		
PD 21 L 100	1	21	63,67	62,91	-	67	32	47	46	14	-		
PD 22 L 100	1	22	66,70	65,94	-	73	32	50	46	14	-		
PD 23 L 100	1	24	69,73	68,97	-	73	32	50	46	14	-		
PD 24 L 100	1	26	72,77	72,01	-	80	32	57	46	14	-		
PD 25 L 100	1	25	75,80	75,04	-	80	32	58	46	14	-	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 26 L 100	1	26	78,83	78,07	-	88	32	64	46	14	-		
PD 27 L 100	1	27	81,86	81,10	-	88	32	64	46	14	-		
PD 28 L 100	1	28	84,89	84,13	-	94	32	70	46	14	-		
PD 29 L 100	1	29	87,93	87,16	-	94	32	70	46	14	-		
PD 30 L 100	1	30	90,96	90,20	-	98	32	72	46	14	-		
PD 32 L 100	1	32	97,02	96,26	-	100	32	75	46	14	-		
PD 33 L 100	1	33	100,05	99,29	-	108	32	80	46	14	-		
PD 34 L 100	1	34	103,08	102,32	-	108	32	85	46	14	-		
PD 35 L 100	1	35	106,12	105,35	-	113	32	88	46	14	-		
PD 36 L 100	1	36	109,15	108,39	-	113	32	88	46	14	-		
PD 40 L 100	2	40	121,28	120,52	100	129	32	68	46	14	-		
PD 41 L 100	2	41	124,31	123,55	103	129	32	68	46	14	-		
PD 42 L 100	2	42	127,34	126,58	106	137	32	68	46	14	-		
PD 44 L 100	2	44	133,40	132,64	112	142	32	68	46	14	-		
PD 45 L 100	2	45	136,44	135,67	115	142	32	68	46	14	-		
PD 47 L 100	2	47	142,50	141,74	121	149	32	68	46	14	-		
PD 48 L 100	2	48	145,53	144,77	124	151	32	68	50	18	-		
PD 49 L 100	3	49	148,56	147,80	127	-	32	68	50	18	-		
PD 50 L 100	3	50	151,60	150,83	130	-	32	68	50	18	-		
PD 52 L 100	3	52	157,66	156,90	136	-	32	68	50	18	-	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 56 L 100	3	56	169,79	169,02	139	-	32	68	50	18	-		
PD 57 L 100	3	57	172,82	172,06	152	-	32	68	50	18	-		
PD 60 L 100	3	60	181,91	181,15	160	-	32	75	54	22	-		
PD 65 L 100	3	65	197,07	196,31	176	-	32	75	54	22	-		
PD 66 L 100	3	66	200,11	199,34	179	-	32	75	54	22	-		
PD 72 L 100	3	72	218,30	217,54	197	-	32	75	54	22	-		
PD 84 L 100	3	84	254,68	253,92	233	-	32	80	54	22	-		
PD 90 L 100	4	90	272,87	272,11	252	-	32	80	54	22	19		
PD 96 L 100	4	96	291,06	290,30	270	-	32	80	54	22	19		
PD 120 L 100	5	120	363,83	363,07	342	-	32	90	54	22	19		



3



4




5


PD ... H 075

mm

code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 14 H 075	1	14	56,60	55,23	-	62	25,4	40	38	12,6	-	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PD 15 H 075	1	15	60,64	59,27	-	67	25,4	45	38	12,6	-		
PD 16 H 075	1	16	64,68	63,31	-	67	25,4	47	38	12,6	-		
PD 17 H 075	1	17	68,72	67,35	-	77	25,4	49	38	12,6	-		
PD 18 H 075	1	18	72,77	71,40	-	80	25,4	57	38	12,6	-		
PD 19 H 075	1	19	76,81	75,44	-	84	25,4	60	38	12,6	-		
PD 20 H 075	1	20	80,85	79,48	-	88	25,4	64	38	12,6	-		
PD 21 H 075	1	21	84,89	83,52	-	94	25,4	64	38	12,6	-		
PD 22 H 075	1	22	88,94	87,57	-	94	25,4	70	38	12,6	-		
PD 23 H 075	1	23	92,98	91,61	-	98	25,4	72	38	12,6	-		
PD 24 H 075	1	24	97,02	95,65	-	104	25,4	80	38	12,6	-		
PD 25 H 075	1	25	101,06	99,69	-	104	25,4	80	38	12,6	-		
PD 26 H 075	1	26	105,11	103,74	-	108	25,4	85	38	12,6	-		
PD 27 H 075	1	27	109,15	107,78	-	113	25,4	88	38	12,6	-		
PD 28 H 075	1	28	113,19	111,92	-	118	25,4	94	38	12,6	-		
PD 29 H 075	1	29	117,23	115,86	-	121	25,4	96	38	12,6	-	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PD 30 H 075	1	30	121,28	119,91	-	129	25,4	104	38	12,6	-		
PD 32 H 075	1	32	129,36	127,99	-	137	25,4	112	38	12,6	-		
PD 33 H 075	1	33	133,40	132,03	-	137	25,4	112	38	12,6	-		
PD 34 H 075	1	34	137,45	136,08	-	142	25,4	118	38	12,6	-		
PD 35 H 075	2	35	141,49	140,12	118	145	25,4	68	48	22,6	-		
PD 36 H 075	2	36	145,53	144,16	118	151	25,4	68	48	22,6	-		
PD 38 H 075	2	38	153,62	152,25	126	158	25,4	68	48	22,6	-		
PD 40 H 075	2	40	161,70	160,33	134	168	25,4	68	48	22,6	-		
PD 44 H 075	2	44	177,87	176,50	150	191	25,4	68	48	22,6	-		
PD 45 H 075	2	45	181,91	180,54	154	189	25,4	68	48	22,6	-		
PD 48 H 075	2	48	194,04	192,67	166	199	25,4	68	48	22,6	-		
PD 49 H 075	3	49	198,08	196,71	170	-	25,4	68	48	22,6	-		
PD 50 H 075	3	50	202,13	200,76	174	-	25,4	68	48	22,6	-		
PD 52 H 075	3	52	210,21	208,84	182	-	25,4	75	48	22,6	-		
PD 60 H 075	3	60	242,55	241,18	215	-	25,4	75	48	22,6	-	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 70 H 075	3	70	282,98	281,61	255	-	25,4	75	48	22,6	-		
PD 72 H 075	3	72	291,06	289,69	263	-	25,4	80	48	22,6	-		
PD 82 H 075	6	82	331,49	330,12	304	-	25,4	80	55	29,6	-		
PD 84 H 075	5	84	339,57	338,20	312	-	25,4	90	55	29,6	19		
PD 94 H 075	5	94	380,00	378,63	352	-	25,4	90	55	29,6	19		
PD 96 H 075	5	96	388,08	386,71	360	-	25,4	100	55	29,6	19		
PD 106 H 075	5	106	428,51	427,14	401	-	25,4	100	55	29,6	19		
PD 116 H 075	5	116	468,93	467,56	441	-	25,4	100	55	29,6	19		
PD 118 H 075	5	118	477,02	475,65	449	-	25,4	100	55	29,6	19		
PD 120 H 075	5	120	485,10	483,73	458	-	25,4	100	55	29,6	19		
PD 150 H 075	5	150	606,38	605,01	579	-	25,4	100	55	29,6	19		
PD 152 H 075	5	152	614,46	613,09	587	-	25,4	100	55	29,6	19		
PD 154 H 075	5	154	622,55	621,17	595	-	25,4	100	55	29,6	19		
PD 156 H 075	5	156	630,63	629,26	603	-	25,4	120	55	29,6	19		



1




2


PD ... H 100

mm


code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 14 H 100	1	14	56,60	55,23	-	62	33,3	40	44	10,7	-	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PD 15 H 100	1	15	60,64	59,27	-	67	33,3	45	44	10,7	-		
PD 16 H 100	1	16	64,68	63,31	-	67	33,3	47	44	10,7	-		
PD 17 H 100	1	17	68,72	67,35	-	77	33,3	49	44	10,7	-		
PD 18 H 100	1	18	72,77	71,40	-	80	33,3	57	44	10,7	-		
PD 19 H 100	1	19	76,81	75,44	-	84	33,3	60	44	10,7	-		
PD 20 H 100	1	20	80,85	79,48	-	88	33,3	64	44	10,7	-		
PD 21 H 100	1	21	84,89	83,52	-	94	33,3	64	44	10,7	-		
PD 22 H 100	1	22	88,94	87,57	-	94	33,3	70	44	10,7	-		
PD 23 H 100	1	23	92,98	91,61	-	98	33,3	72	44	10,7	-		
PD 24 H 100	1	24	97,02	95,65	-	104	33,3	80	44	10,7	-		
PD 25 H 100	1	25	101,06	99,69	-	104	33,3	80	44	10,7	-		
PD 26 H 100	1	26	105,11	103,74	-	108	33,3	85	44	10,7	-		
PD 27 H 100	1	27	109,15	107,78	-	113	33,3	88	44	10,7	-		
PD 28 H 100	1	28	113,19	111,92	-	118	33,3	94	48	14,7	-		
PD 29 H 100	1	29	117,23	115,86	-	121	33,3	96	48	14,7	-	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PD 30 H 100	1	30	121,28	119,91	-	129	33,3	104	50	16,7	-		
PD 32 H 100	1	32	129,36	127,99	-	137	33,3	112	52	18,7	-		
PD 33 H 100	1	33	133,40	132,03	-	137	33,3	112	52	18,7	-		
PD 34 H 100	1	34	137,45	136,08	-	142	33,3	118	52	18,7	-		
PD 35 H 100	2	35	141,49	140,12	118	145	33,3	75	52	18,7	-		
PD 36 H 100	2	36	145,53	144,16	118	151	33,3	75	52	18,7	-		
PD 38 H 100	2	38	153,62	152,25	126	158	33,3	75	52	18,7	-		
PD 40 H 100	2	40	161,70	160,33	134	168	33,3	75	54	20,7	-		
PD 44 H 100	2	44	177,87	176,50	150	191	33,3	75	54	20,7	-		
PD 45 H 100	2	45	181,91	180,54	154	189	33,3	75	54	20,7	-		
PD 48 H 100	2	48	194,04	192,67	166	199	33,3	75	60	26,7	-		
PD 49 H 100	3	49	198,08	196,71	170	-	33,3	75	60	26,7	-		
PD 50 H 100	3	50	202,13	200,76	174	-	33,3	75	60	26,7	-		
PD 52 H 100	3	52	210,21	208,84	182	-	33,3	75	60	26,7	-		
PD 60 H 100	3	60	242,55	241,18	215	-	33,3	80	60	26,7	-	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 70 H 100	3	70	282,98	281,61	255	-	33,3	80	60	26,7	-		
PD 72 H 100	3	72	291,06	289,69	263	-	33,3	80	60	26,7	-		
PD 82 H 100	6	82	331,49	330,12	304	-	33,3	80	60	26,7	-		
PD 84 H 100	5	84	339,57	338,20	312	-	33,3	90	60	26,7	19		
PD 94 H 100	5	94	380,00	378,63	352	-	33,3	90	60	26,7	19		
PD 96 H 100	5	96	388,08	386,71	360	-	33,3	100	60	26,7	19		
PD 106 H 100	5	106	428,51	427,14	401	-	33,3	100	60	26,7	19		
PD 116 H 100	5	116	468,93	467,56	441	-	33,3	100	60	26,7	19		
PD 118 H 100	5	118	477,02	475,65	449	-	33,3	100	60	26,7	19		
PD 120 H 100	5	120	485,10	483,73	458	-	33,3	100	60	26,7	19		
PD 150 H 100	5	150	606,38	605,01	579	-	33,3	100	60	26,7	19		
PD 152 H 100	5	152	614,46	613,09	587	-	33,3	100	60	26,7	19		
PD 154 H 100	5	154	622,55	621,17	595	-	33,3	100	60	26,7	19		
PD 156 H 100	5	156	630,63	629,26	603	-	33,3	120	60	26,7	19		



3




5




PD ... H 150

mm

code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 14 H 150	1	14	56,60	55,23	-	62	46	40	58	12	-	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PD 15 H 150	1	15	60,64	59,27	-	67	46	45	58	12	-		
PD 16 H 150	1	16	64,68	63,31	-	67	46	47	58	12	-		
PD 17 H 150	1	17	68,72	67,35	-	77	46	49	58	12	-		
PD 18 H 150	1	18	72,77	71,40	-	80	46	57	58	12	-		
PD 19 H 150	1	19	76,81	75,44	-	84	46	60	58	12	-		
PD 20 H 150	1	20	80,85	79,48	-	88	46	64	58	12	-		
PD 21 H 150	1	21	84,89	83,52	-	94	46	64	58	12	-		
PD 22 H 150	1	22	88,94	87,57	-	94	46	70	58	12	-		
PD 23 H 150	1	23	92,98	91,61	-	98	46	72	58	12	-		
PD 24 H 150	1	24	97,02	95,65	-	104	46	80	58	12	-		
PD 25 H 150	1	25	101,06	99,69	-	104	46	80	58	12	-		
PD 26 H 150	1	26	105,11	103,74	-	108	46	85	58	12	-	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PD 27 H 150	1	27	109,15	107,78	-	113	46	88	58	12	-		
PD 28 H 150	1	28	113,19	111,92	-	118	46	94	58	12	-		
PD 29 H 150	1	29	117,23	115,86	-	121	46	96	58	12	-		
PD 30 H 150	1	30	121,28	119,91	-	129	46	104	58	12	-		
PD 32 H 150	1	32	129,36	127,99	-	137	46	112	58	12	-		
PD 33 H 150	1	33	133,40	132,03	-	137	46	112	58	12	-		
PD 34 H 150	1	34	137,45	136,08	-	142	46	118	58	12	-		
PD 35 H 150	2	35	141,49	140,12	118	145	46	75	58	22	-	without flanges sans flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 36 H 150	2	36	145,53	144,16	118	151	46	75	58	22	-		
PD 38 H 150	2	38	153,62	152,25	126	158	46	75	58	22	-		
PD 40 H 150	2	40	161,70	160,33	134	168	46	75	70	24	-		
PD 44 H 150	2	44	177,87	176,50	150	191	46	75	70	24	-		
PD 45 H 150	2	45	181,91	180,54	154	189	46	75	70	24	-		
PD 48 H 150	2	48	194,04	192,67	166	199	46	75	70	24	-		
PD 49 H 150	3	49	198,08	196,71	170	-	46	75	70	24	-		
PD 50 H 150	3	50	202,13	200,76	174	-	46	75	70	24	-		
PD 52 H 150	3	52	210,21	208,84	182	-	46	75	70	24	-		
PD 60 H 150	3	60	242,55	241,18	215	-	46	80	70	24	-		
PD 70 H 150	3	70	282,98	281,61	255	-	46	80	70	24	-		
PD 72 H 150	3	72	291,06	289,69	263	-	46	80	70	24	-	without flanges sans flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 82 H 150	6	82	331,49	330,12	304	-	46	80	70	24	-		
PD 84 H 150	5	84	339,57	338,20	312	-	46	90	70	24	-		
PD 94 H 150	5	94	380,00	378,63	352	-	46	90	70	24	19		
PD 96 H 150	5	96	388,08	386,71	360	-	46	100	70	24	19		
PD 106 H 150	5	106	428,51	427,14	401	-	46	100	70	24	19		
PD 116 H 150	5	116	468,93	467,56	441	-	46	100	70	24	19		
PD 118 H 150	5	118	477,02	475,65	449	-	46	100	70	24	19		
PD 120 H 150	5	120	485,10	483,73	458	-	46	100	70	24	19		
PD 150 H 150	5	150	606,38	605,01	579	-	46	100	70	24	19		
PD 152 H 150	5	152	614,46	613,09	587	-	46	100	70	24	19		
PD 154 H 150	5	154	622,55	621,17	595	-	46	100	70	24	19		
PD 156 H 150	5	156	630,63	629,26	603	-	46	120	70	24	19		



1




2


PD ... H 200

mm


code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 14 H 200	1	14	56,60	55,23	-	62	59,5	40	72	12,5	-	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PD 15 H 200	1	15	60,64	59,27	-	67	59,5	45	72	12,5	-		
PD 16 H 200	1	16	64,68	63,31	-	67	59,5	47	72	12,5	-		
PD 17 H 200	1	17	68,72	67,35	-	77	59,5	49	72	12,5	-		
PD 18 H 200	1	18	72,77	71,40	-	80	59,5	57	72	12,5	-		
PD 19 H 200	1	19	76,81	75,44	-	84	59,5	60	72	12,5	-		
PD 20 H 200	1	20	80,85	79,48	-	88	59,5	64	72	12,5	-		
PD 21 H 200	1	21	84,89	83,52	-	94	59,5	64	72	12,5	-		
PD 22 H 200	1	22	88,94	87,57	-	94	59,5	70	72	12,5	-		
PD 23 H 200	1	23	92,98	91,61	-	98	59,5	72	72	12,5	-		
PD 24 H 200	1	24	97,02	95,65	-	104	59,5	80	72	12,5	-		
PD 25 H 200	1	25	101,06	99,69	-	104	59,5	80	72	12,5	-		
PD 26 H 200	1	26	105,11	103,74	-	108	59,5	85	72	12,5	-	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PD 27 H 200	1	27	109,15	107,78	-	113	59,5	88	72	12,5	-		
PD 28 H 200	1	28	113,19	111,92	-	118	59,5	94	72	12,5	-		
PD 29 H 200	1	29	117,23	115,86	-	121	59,5	96	72	12,5	-		
PD 30 H 200	1	30	121,28	119,91	-	129	59,5	104	72	12,5	-		
PD 32 H 200	1	32	129,36	127,99	-	137	59,5	112	72	12,5	-		
PD 33 H 200	1	33	133,40	132,03	-	137	59,5	112	72	12,5	-		
PD 34 H 200	1	34	137,45	136,08	-	142	59,5	118	72	12,5	-		
PD 35 H 200	2	35	141,49	140,12	118	145	59,5	80	72	12,5	-	without flanges sans flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 36 H 200	2	36	145,53	144,16	118	151	59,5	80	72	12,5	-		
PD 38 H 200	2	38	153,62	152,25	126	158	59,5	80	72	12,5	-		
PD 40 H 200	2	40	161,70	160,33	134	168	59,5	80	72	12,5	-		
PD 44 H 200	2	44	177,87	176,50	150	191	59,5	80	72	12,5	-		
PD 45 H 200	2	45	181,91	180,54	154	189	59,5	80	72	12,5	-		
PD 48 H 200	2	48	194,04	192,67	166	199	59,5	80	80	20,5	-		
PD 49 H 200	3	49	198,08	196,71	170	-	59,5	80	80	20,5	-		
PD 50 H 200	3	50	202,13	200,76	174	-	59,5	80	80	20,5	-		
PD 52 H 200	3	52	210,21	208,84	182	-	59,5	80	80	20,5	-		
PD 60 H 200	3	60	242,55	241,18	215	-	59,5	90	80	20,5	-		
PD 70 H 200	3	70	282,98	281,61	255	-	59,5	90	80	20,5	-		
PD 72 H 200	3	72	291,06	289,69	263	-	59,5	90	80	20,5	-	without flanges sans flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 82 H 200	6	82	331,49	330,12	304	-	59,5	90	80	20,5	-		
PD 84 H 200	5	84	339,57	338,20	312	-	59,5	100	80	20,5	19		
PD 94 H 200	5	94	380,00	378,63	352	-	59,5	100	80	20,5	19		
PD 96 H 200	5	96	388,08	386,71	360	-	59,5	100	80	20,5	19		
PD 106 H 200	5	106	428,51	427,14	401	-	59,5	100	80	20,5	19		
PD 116 H 200	5	116	468,93	467,56	441	-	59,5	100	80	20,5	19		
PD 118 H 200	5	118	477,02	475,65	449	-	59,5	100	80	20,5	19		
PD 120 H 200	5	120	485,10	483,73	458	-	59,5	120	80	20,5	19		
PD 150 H 200	5	150	606,38	605,01	579	-	59,5	120	80	20,5	19		
PD 152 H 200	5	152	614,46	613,09	587	-	59,5	120	80	20,5	19		
PD 154 H 200	5	154	622,55	621,17	595	-	59,5	120	80	20,5	19		
PD 156 H 200	5	156	630,63	629,26	603	-	59,5	130	80	20,5	19		



3



5




6


PD ... H 300

mm


code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 14 H 300	1	14	56,60	55,23	-	62	85,7	40	98	12,3	-	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PD 15 H 300	1	15	60,64	59,27	-	67	85,7	45	98	12,3	-		
PD 16 H 300	1	16	64,68	63,31	-	67	85,7	47	98	12,3	-		
PD 17 H 300	1	17	68,72	67,35	-	77	85,7	49	98	12,3	-		
PD 18 H 300	1	18	72,77	71,40	-	80	85,7	57	98	12,3	-		
PD 19 H 300	1	19	76,81	75,44	-	84	85,7	60	98	12,3	-		
PD 20 H 300	1	20	80,85	79,48	-	88	85,7	64	98	12,3	-		
PD 21 H 300	1	21	84,89	83,52	-	94	85,7	64	98	12,3	-		
PD 22 H 300	1	22	88,94	87,57	-	94	85,7	70	98	12,3	-		
PD 23 H 300	1	23	92,98	91,61	-	98	85,7	72	98	12,3	-		
PD 24 H 300	1	24	97,02	95,65	-	104	85,7	80	98	12,3	-		
PD 25 H 300	1	25	101,06	99,69	-	104	85,7	80	98	12,3	-		
PD 26 H 300	1	26	105,11	103,74	-	108	85,7	85	98	12,3	-	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PD 27 H 300	1	27	109,15	107,78	-	113	85,7	88	98	12,3	-		
PD 28 H 300	1	28	113,19	111,92	-	118	85,7	94	98	12,3	-		
PD 29 H 300	1	29	117,23	115,86	-	121	85,7	96	98	12,3	-		
PD 30 H 300	1	30	121,28	119,91	-	129	85,7	104	98	12,3	-		
PD 32 H 300	1	32	129,36	127,99	-	137	85,7	112	98	12,3	-		
PD 33 H 300	1	33	133,40	132,03	-	137	85,7	112	98	12,3	-		
PD 34 H 300	1	34	137,45	136,08	-	142	85,7	118	98	12,3	-		
PD 35 H 300	2	35	141,49	140,12	118	145	85,7	75	98	12,3	-		
PD 36 H 300	2	36	145,53	144,16	118	151	85,7	80	98	12,3	-		
PD 38 H 300	2	38	153,62	152,25	126	158	85,7	80	98	12,3	-		
PD 40 H 300	2	40	161,70	160,33	134	168	85,7	80	98	12,3	-		
PD 44 H 300	2	44	177,87	176,50	150	191	85,7	80	98	12,3	-		
PD 45 H 300	2	45	181,91	180,54	154	189	85,7	80	98	12,3	-	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 48 H 300	2	48	194,04	192,67	166	199	85,7	90	98	12,3	-		
PD 49 H 300	3	49	198,08	196,71	170	-	85,7	90	98	12,3	-		
PD 50 H 300	3	50	202,13	200,76	174	-	85,7	90	98	12,3	-		
PD 52 H 300	3	52	210,21	208,84	182	-	85,7	90	98	12,3	-		
PD 60 H 300	3	60	242,55	241,18	215	-	85,7	100	98	12,3	-		
PD 70 H 300	3	70	282,98	281,61	255	-	85,7	100	98	12,3	-		
PD 72 H 300	3	72	291,06	289,69	263	-	85,7	100	98	12,3	-		
PD 82 H 300	6	82	331,49	330,12	304	-	85,7	100	98	12,3	-		
PD 84 H 300	5	84	339,57	338,20	312	-	85,7	100	98	12,3	19		
PD 94 H 300	5	94	380,00	378,63	352	-	85,7	100	98	12,3	19		
PD 96 H 300	5	96	388,08	386,71	360	-	85,7	110	98	12,3	19		
PD 106 H 300	5	106	428,51	427,14	401	-	85,7	110	98	12,3	19		
PD 116 H 300	5	116	468,93	467,56	441	-	85,7	110	98	12,3	19		
PD 118 H 300	5	118	477,02	475,65	449	-	85,7	110	98	12,3	19		
PD 120 H 300	5	120	485,10	483,73	458	-	85,7	120	98	12,3	19		
PD 150 H 300	5	150	606,38	605,01	579	-	85,7	120	98	12,3	19		
PD 152 H 300	5	152	614,46	613,09	587	-	85,7	120	98	12,3	19		
PD 154 H 300	5	154	622,55	621,17	595	-	85,7	120	98	12,3	19		
PD 156 H 300	5	156	630,63	629,26	603	-	85,7	130	98	12,3	19		




1




2




3



4



5



6

PD ... XH 200


mm

code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 18 XH 200	1	18	127,34	124,55	-	134	65	100	80	15	-	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PD 19 XH 200	1	19	134,41	131,62	-	142	65	107	80	15	-		
PD 20 XH 200	1	20	141,49	138,70	-	150	65	114	80	15	-		
PD 21 XH 200	1	21	148,56	145,77	-	158	65	122	80	15	-		
PD 22 XH 200	1	22	155,64	152,85	-	166	65	128	80	15	-		
PD 24 XH 200	1	24	169,79	167,00	-	177	65	141	80	15	-		
PD 25 XH 200	2	25	176,86	174,07	-	186	65	90	80	15	-		
PD 26 XH 200	2	26	183,94	171,15	-	191	65	90	80	15	-		
PD 27 XH 200	1	27	191,01	188,22	-	200	65	158	80	15	-		
PD 28 XH 200	1	28	198,08	195,29	-	199	65	169	80	15	-		
PD 30 XH 200	2	30	212,23	209,44	170	216	65	100	80	15	-		
PD 32 XH 200	2	32	226,38	223,59	184	232	65	110	80	15	-		
PD 34 XH 200	2	34	240,53	237,74	198	261	65	110	80	15	-		
PD 38 XH 200	2	38	268,83	266,03	227	274	65	110	80	15	-		
PD 40 XH 200	2	40	282,98	280,19	241	288	65	120	100	35	-		
PD 46 XH 200	3	46	325,42	322,63	283	-	65	120	100	35	-	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PD 48 XH 200	4	48	339,57	336,78	297	-	65	120	100	35	19		
PD 58 XH 200	4	58	410,32	407,52	368	-	65	120	100	35	19		
PD 60 XH 200	4	60	424,47	421,68	382	-	65	130	100	35	19		
PD 70 XH 200	5	70	495,21	492,42	453	-	65	130	100	35	19		
PD 72 XH 200	5	72	509,36	506,57	467	-	65	140	100	35	19		
PD 78 XH 200	5	78	551,80	549,01	510	-	65	140	100	35	19		
PD 80 XH 200	5	80	565,95	563,16	524	-	65	140	100	35	19		
PD 82 XH 200	5	82	580,10	577,31	538	-	65	140	100	35	19		
PD 84 XH 200	5	84	594,25	591,46	552	-	65	150	100	35	19		
PD 94 XH 200	5	94	664,99	662,20	623	-	65	150	100	35	19		
PD 96 XH 200	5	96	679,14	676,35	637	-	65	160	100	35	19		
PD 118 XH 200	5	118	834,78	831,99	792	-	65	160	100	35	19		
PD 120 XH 200	5	120	848,93	846,14	806	-	65	170	100	35	19		


PD ... XH 300

mm


code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material		
PD 18 XH 300	1	18	127,34	124,55	–	134	92	100	107	15	–	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición		
PD 19 XH 300	1	19	134,41	131,62	–	142	92	107	107	15	–				
PD 20 XH 300	1	20	141,49	138,70	–	150	92	114	107	15	–				
PD 21 XH 300	1	21	148,56	145,77	–	158	92	122	107	15	–				
PD 22 XH 300	1	22	155,64	152,85	–	166	92	128	107	15	–				
PD 24 XH 300	1	24	169,79	167,00	–	177	92	141	107	15	–				
PD 25 XH 300	1	25	176,86	174,07	–	186	92	148	107	15	–				
PD 26 XH 300	1	26	183,94	171,15	–	191	92	157	107	15	–				
PD 27 XH 300	1	27	191,01	188,22	–	200	92	158	107	15	–				
PD 28 XH 300	1	28	198,08	195,29	–	199	92	169	107	15	–				
PD 30 XH 300	2	30	212,23	209,44	170	216	92	110	107	15	–	without flanges sous flasques ohne Borde sin valona		cast iron fonte Grauguss fundición	
PD 32 XH 300	2	32	226,38	223,59	184	232	92	110	107	15	–				
PD 34 XH 300	2	34	240,53	237,74	198	261	92	110	107	15	–				
PD 38 XH 300	2	38	268,83	266,03	227	274	92	110	107	15	–				
PD 40 XH 300	2	40	282,98	280,19	241	288	92	120	100	8	–				
PD 46 XH 300	3	46	325,42	322,63	283	–	92	120	100	8	–				
PD 48 XH 300	4	48	339,57	336,78	297	–	92	120	100	8	19				
PD 58 XH 300	4	58	410,32	407,52	368	–	92	120	100	8	19				
PD 60 XH 300	4	60	424,47	421,68	382	–	92	120	100	8	19				
PD 70 XH 300	5	70	495,21	492,42	453	–	92	130	100	8	19				
PD 72 XH 300	5	72	509,36	506,57	467	–	92	140	120	28	19				cast iron fonte Grauguss fundición
PD 78 XH 300	5	78	551,80	549,01	510	–	92	140	120	28	19				
PD 80 XH 300	5	80	565,95	563,16	524	–	92	140	120	28	19				
PD 82 XH 300	5	82	580,10	577,31	538	–	92	140	120	28	19				
PD 84 XH 300	5	84	594,25	591,46	552	–	92	160	120	28	19				
PD 94 XH 300	5	94	664,99	662,20	623	–	92	150	120	28	19				
PD 96 XH 300	5	96	679,14	676,35	637	–	92	160	120	28	19				
PD 118 XH 300	5	118	834,78	831,99	792	–	92	160	120	28	19				
PD 120 XH 300	5	120	848,93	846,14	806	–	92	170	120	28	19				




1




2



3



4



5

PD ... XH 400

mm

code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 18 XH 400	1	18	127,34	124,55	–	134	119	100	135	16	–	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PD 19 XH 400	1	19	134,41	131,62	–	142	119	107	135	16	–		
PD 20 XH 400	1	20	141,49	138,70	–	150	119	114	135	16	–		
PD 21 XH 400	1	21	148,56	145,77	–	158	119	122	135	16	–		
PD 22 XH 400	1	22	155,64	152,85	–	166	119	128	135	16	–		
PD 24 XH 400	1	24	169,79	167,00	–	177	119	141	135	15	–		
PD 25 XH 400	1	25	176,86	174,07	–	186	119	148	135	16	–		
PD 26 XH 400	1	26	183,94	171,15	–	191	119	157	135	16	–		
PD 27 XH 400	1	27	191,01	188,22	–	200	119	158	135	16	–		
PD 28 XH 400	1	28	198,08	195,29	–	199	119	169	135	15	–		
PD 30 XH 400	2	30	212,23	209,44	170	216	119	120	135	16	–	without flanges sous flasques ohne Borde sin valona	
PD 32 XH 400	2	32	226,38	223,59	184	232	119	120	135	15	–		
PD 34 XH 400	2	34	240,53	237,74	198	261	119	120	135	16	–		
PD 38 XH 400	2	38	268,83	266,03	227	274	119	120	135	15	–		
PD 40 XH 400	2	40	282,98	280,19	241	288	119	120	135	16	–		
PD 46 XH 400	3	46	325,42	322,63	283	–	119	140	135	16	–		
PD 48 XH 400	4	48	339,57	336,78	297	–	119	140	135	16	19		
PD 58 XH 400	4	58	410,32	407,52	368	–	119	140	135	16	19		
PD 60 XH 400	4	60	424,47	421,68	382	–	119	140	135	16	19		
PD 70 XH 400	5	70	495,21	492,42	453	–	119	140	135	16	19		
PD 72 XH 400	5	72	509,36	506,57	467	–	119	140	135	16	19		
PD 78 XH 400	5	78	551,80	549,01	510	–	119	140	135	16	19		
PD 80 XH 400	5	80	565,95	563,16	524	–	119	140	135	16	19		
PD 82 XH 400	5	82	580,10	577,31	538	–	119	140	135	16	19		
PD 84 XH 400	5	84	594,25	591,46	552	–	119	160	135	16	19		
PD 94 XH 400	5	94	664,99	662,20	623	–	119	150	135	16	19		
PD 96 XH 400	5	96	679,14	676,35	637	–	119	160	135	16	19		
PD 118 XH 400	5	118	834,78	831,99	792	–	119	160	135	16	19		
PD 120 XH 400	5	120	848,93	846,14	806	–	119	170	135	16	19		

PD ... XXH 200


mm

Codice	Tipo	N. denti	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	Flange	Material
PD 18 XXH 200	1	18	181,91	178,86	–	186	67	150	100	33	–	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PD 19 XXH 200	1	19	192,02	188,97	–	200	67	150	100	33	–		
PD 20 XXH 200	1	20	202,13	199,08	–	209	67	150	100	33	–		
PD 21 XXH 200	1	21	212,23	209,18	–	216	67	150	100	33	–		
PD 22 XXH 200	1	22	222,34	219,29	–	232	67	150	100	33	–		
PD 24 XXH 200	1	24	242,55	239,50	–	261	67	150	100	33	–	without flanges sous flasques ohne Borde sin valona	
PD 25 XXH 200	3	25	252,66	249,61	196	–	67	150	100	33	–		
PD 26 XXH 200	3	26	262,76	259,71	207	–	67	150	100	33	–		
PD 27 XXH 200	3	27	272,87	269,82	216	–	67	150	100	33	–		
PD 30 XXH 200	3	30	303,19	300,14	247	–	67	170	100	33	–		
PD 34 XXH 200	4	34	343,62	340,57	287	–	67	170	100	33	19		
PD 40 XXH 200	4	40	404,25	401,20	348	–	67	170	100	33	19		
PD 48 XXH 200	5	48	485,10	482,05	429	–	67	180	120	53	19		
PD 60 XXH 200	5	60	606,38	603,33	547	–	67	180	120	53	19		
PD 72 XXH 200	5	72	727,66	724,61	668	–	67	180	120	53	19		
PD 90 XXH 200	5	90	909,57	906,52	850	–	67	180	120	53	19		


PD ... XXH 300

mm

code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 18 XXH 300	1	18	181,91	178,86	–	186	94	150	110	16	–	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PD 19 XXH 300	1	19	192,02	188,97	–	200	94	150	110	16	–		
PD 20 XXH 300	1	20	202,13	199,08	–	209	94	150	110	16	–		
PD 21 XXH 300	1	21	212,23	209,18	–	216	94	150	110	16	–		
PD 22 XXH 300	1	22	222,34	219,29	–	232	94	150	110	16	–		
PD 24 XXH 300	1	24	242,55	239,50	–	261	94	150	110	16	–	without flanges sous flasques ohne Borde sin valona	
PD 25 XXH 300	3	25	252,66	249,61	196	–	94	150	110	16	–		
PD 26 XXH 300	3	26	262,76	259,71	207	–	94	150	110	16	–		
PD 27 XXH 300	3	27	272,87	269,82	216	–	94	150	110	16	–		
PD 30 XXH 300	3	30	303,19	300,14	247	–	94	170	110	16	–		
PD 34 XXH 300	4	34	343,62	340,57	287	–	94	170	110	16	19		
PD 40 XXH 300	4	40	404,25	401,20	348	–	94	170	110	16	19		
PD 48 XXH 300	5	48	485,10	482,05	429	–	94	180	120	26	19		
PD 60 XXH 300	5	60	606,38	603,33	547	–	94	180	120	26	19		
PD 72 XXH 300	5	72	727,66	724,61	668	–	94	180	120	26	19		
PD 90 XXH 300	5	90	909,57	906,52	850	–	94	180	120	26	19		



1




3

PD ... XXH 400

mm

code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 18 XXH 400	1	18	181,91	178,86	–	186	121	150	140	19	–	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PD 19 XXH 400	1	19	192,02	188,97	–	200	121	150	140	19	–		
PD 20 XXH 400	1	20	202,13	199,08	–	209	121	150	140	19	–		
PD 21 XXH 400	1	21	212,23	209,18	–	216	121	150	140	19	–		
PD 22 XXH 400	1	22	222,34	219,29	–	232	121	150	140	19	–		
PD 24 XXH 400	1	24	242,55	239,50	–	261	121	150	140	19	–	without flanges sous flasques ohne Borde sin valona	
PD 25 XXH 400	7	25	252,66	249,61	196	–	121	150	140	19	–		
PD 26 XXH 400	3	26	262,76	259,71	207	–	121	170	140	19	–		
PD 27 XXH 400	3	27	272,87	269,82	216	–	121	170	140	19	–		
PD 30 XXH 400	3	30	303,19	300,14	247	–	121	170	140	19	–		
PD 34 XXH 400	4	34	343,62	340,57	287	–	121	180	140	19	19		
PD 40 XXH 400	4	40	404,25	401,20	348	–	121	180	110	19	19		
PD 48 XXH 400	5	48	485,10	482,05	429	–	121	180	140	19	19		
PD 60 XXH 400	5	60	606,38	603,33	547	–	121	220	140	19	19		
PD 72 XXH 400	5	72	727,66	724,61	668	–	121	220	140	19	19		
PD 90 XXH 400	5	90	909,57	906,52	850	–	121	220	140	19	19		




4


PD ... XXH 500

mm

code code Code código	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PD 18 XXH 500	1	18	181,91	178,86	–	186	148	150	168	20	–	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PD 19 XXH 500	1	19	192,02	188,97	–	200	148	150	168	20	–		
PD 20 XXH 500	1	20	202,13	199,08	–	209	148	150	168	20	–		
PD 21 XXH 500	1	21	212,23	209,18	–	216	148	150	168	20	–		
PD 22 XXH 500	1	22	222,34	219,29	–	232	148	150	168	20	–		
PD 24 XXH 500	1	24	242,55	239,50	–	261	148	170	168	20	–	without flanges sous flasques ohne Borde sin valona	
PD 25 XXH 500	3	25	252,66	249,61	196	–	148	170	168	20	–		
PD 26 XXH 500	3	26	262,76	259,71	207	–	148	170	168	20	–		
PD 27 XXH 500	3	27	272,87	269,82	216	–	148	180	168	20	–		
PD 30 XXH 500	3	30	303,19	300,14	247	–	148	180	168	20	–		
PD 34 XXH 500	4	34	343,62	340,57	287	–	148	180	168	20	19		
PD 40 XXH 500	4	40	404,25	401,20	348	–	148	180	168	20	19		
PD 48 XXH 500	5	48	485,10	482,05	429	–	148	220	168	20	19		
PD 60 XXH 500	5	60	606,38	603,33	547	–	148	220	168	20	19		
PD 72 XXH 500	5	72	727,66	724,61	668	–	148	220	168	20	19		
PD 90 XXH 500	5	90	909,57	906,52	850	–	148	220	168	20	19		



5




7

STANDARD TIMING PULLEYS FOR ASSEMBLY WITH SER-SIT® CONICAL BUSHES
POULIES DENTEES DE SERIE POUR MONTAGE AVEC MOYEU AMOVIBLE SER-SIT®
STANDARD-ZAHNSCHEIBEN ZUR MONTAGE MIT SER-SIT® SPANNBUCHSEN
POLEAS DENTADAS DE SERIE PARA MONTAJE CON BUJE CONICO SER-SIT®


PBD ... L 050

mm


code code Code código	type type Typ tipo	bushing moyeu Spannbuchse bujes		R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	flange flasque Bord valona	material matériau Werkstoff material
		type type Typ tipo	bore alesage Bohrung bujes max										
PBD 18 L 050	1	1108	28	54,57	53,81	—	62	19	47	22	3	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PBD 19 L 050	1	1108	28	57,61	56,84	—	62	19	47	22	3		
PBD 20 L 050	1	1108	28	60,64	59,88	—	67	19	48	22	3		
PBD 21 L 050	1	1108	28	63,67	62,91	—	67	19	48	22	3		
PBD 22 L 050	1	1108	28	66,70	65,94	—	73	19	51	22	3		
PBD 23 L 050	1	1108	28	69,73	68,97	—	73	19	51	22	3		
PBD 24 L 050	1	1108	28	72,77	72,01	—	80	19	58	22	3		
PBD 25 L 050	1	1108	28	75,80	75,04	—	80	19	58	22	3		
PBD 26 L 050	1	1108	28	78,83	78,07	—	88	19	58	22	3		
PBD 27 L 050	1	1108	28	81,86	81,10	—	88	19	58	22	3		
PBD 28 L 050	1	1108	28	84,89	84,13	—	94	19	58	22	3		
PBD 29 L 050	1	1108	28	87,93	87,16	—	94	19	58	22	3		
PBD 30 L 050	1	1108	28	90,96	90,20	—	98	19	58	22	3		
PBD 32 L 050	1	1108	28	97,02	96,26	—	100	19	58	22	3		
PBD 33 L 050	1	1108	28	100,05	99,29	—	108	19	58	22	3		
PBD 34 L 050	1	1108	28	103,08	102,32	—	108	19	58	22	3		
PBD 35 L 050	6	1108	28	106,12	105,35	84	113	19	58	22	3		
PBD 36 L 050	6	1108	28	109,15	108,39	84	113	19	58	22	3		
PBD 40 L 050	1	1610	42	121,28	120,52	—	129	19	90	25	6		
PBD 41 L 050	1	1610	42	124,31	123,55	—	129	19	90	25	6		
PBD 42 L 050	6	1610	42	127,34	126,58	110	137	19	90	25	6		
PBD 44 L 050	6	1610	42	133,40	132,64	110	142	19	90	25	6		
PBD 45 L 050	6	1610	42	136,44	135,67	118	142	19	90	25	6		
PBD 47 L 050	6	1610	42	142,50	141,74	126	149	19	90	25	6		
PBD 48 L 050	6	1610	42	145,53	144,77	126	151	19	90	25	6		
PBD 49 L 050	9	1610	42	148,56	147,80	132	—	19	90	25	6		
PBD 50 L 050	9	1610	42	151,60	150,83	132	—	19	90	25	6		
PBD 52 L 050	9	1610	42	157,66	156,90	138	—	19	90	25	6		
PBD 56 L 050	9	1610	42	169,79	169,02	152	—	19	90	25	6		
PBD 57 L 050	9	1610	42	172,82	172,06	152	—	19	90	25	6		
PBD 60 L 050	16	1610	42	181,91	181,15	162	—	19	90	25	3		
PBD 65 L 050	13	1610	42	197,07	196,31	178	—	19	90	25	3		
PBD 66 L 050	13	1610	42	200,11	199,34	178	—	19	90	25	3		
PBD 72 L 050	13	1610	42	218,30	217,54	199	—	19	90	25	3		
PBD 84 L 050	13	1610	42	254,68	253,92	235	—	19	90	25	3		
PBD 90 L 050	13	1610	42	272,87	272,11	253	—	19	90	25	3		
PBD 96 L 050	13	2012	50	291,06	290,30	270	—	19	110	32	6,5		
PBD 120 L 050	13	2012	50	363,83	363,07	344	—	19	110	32	6,5		




1




2




4




6



7



8



9

PBD ... L 075


mm

code code Code código	type type Typ tipo	bushing moyeu Spannbuchse bujes		R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	flange flasque Bord valona	material materiel Werkstoff material
		type type Typ tipo	bore alesage Bohrung bujes max										
PBD 18 L 075	4	1108	28	54,57	53,81	38	62	25	-	22	3	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PBD 19 L 075	4	1108	28	57,61	56,84	38	62	25	-	22	3		
PBD 20 L 075	4	1108	28	60,64	59,88	46	67	25	-	22	3		
PBD 21 L 075	4	1108	28	63,67	62,91	46	67	25	-	22	3		
PBD 22 L 075	4	1108	28	66,70	65,94	46	73	25	-	22	3		
PBD 23 L 075	4	1108	28	69,73	68,97	46	73	25	-	22	3		
PBD 24 L 075	4	1108	28	72,77	72,01	53	80	25	-	22	3		
PBD 25 L 075	4	1108	28	75,80	75,04	53	80	25	-	22	3		
PBD 26 L 075	4	1108	28	78,83	78,07	60	88	25	-	22	3		
PBD 27 L 075	4	1108	28	81,86	81,10	60	88	25	-	22	3		
PBD 28 L 075	4	1108	28	84,89	84,13	65	94	25	-	22	3		
PBD 29 L 075	4	1108	28	87,93	87,16	65	94	25	-	22	3		
PBD 30 L 075	4	1108	28	90,96	90,20	68	98	25	-	22	3		
PBD 32 L 075	4	1108	28	97,02	96,26	76	100	25	-	22	3		
PBD 33 L 075	4	1108	28	100,05	99,29	83	108	25	-	22	3		
PBD 34 L 075	4	1108	28	103,08	102,32	85	108	25	-	22	3		
PBD 35 L 075	2	1610	42	106,12	105,35	-	113	25	-	25	-		
PBD 36 L 075	2	1610	42	109,15	108,39	-	113	25	-	25	-		
PBD 40 L 075	2	1610	42	121,28	120,52	-	129	25	-	25	-		
PBD 41 L 075	2	1610	42	124,31	123,55	-	129	25	-	25	-		
PBD 42 L 075	7	1610	42	127,34	126,58	110	137	25	90	25	-		
PBD 44 L 075	7	1610	42	133,40	132,64	110	142	25	90	25	-		
PBD 45 L 075	7	1610	42	136,44	135,67	118	142	25	90	25	-		
PBD 47 L 075	7	1610	42	142,50	141,74	126	149	25	90	25	-		
PBD 48 L 075	7	1610	42	145,53	144,77	126	151	25	90	25	-		
PBD 49 L 075	10	1610	42	148,56	147,80	132	-	25	90	25	-		
PBD 50 L 075	10	1610	42	151,60	150,83	132	-	25	90	25	-		
PBD 52 L 075	10	1610	42	157,66	156,90	138	-	25	90	25	-		
PBD 56 L 075	10	1610	42	169,79	169,02	152	-	25	90	25	-		
PBD 57 L 075	10	1610	42	172,82	172,06	152	-	25	90	25	-		
PBD 60 L 075	10	1610	42	181,91	181,15	162	-	25	90	25	-		
PBD 65 L 075	10	1610	42	197,07	196,31	178	-	25	90	25	-		
PBD 66 L 075	10	1610	42	200,11	199,34	178	-	25	90	25	-		
PBD 72 L 075	14	1610	42	218,30	217,54	199	-	25	90	25	-		
PBD 84 L 075	13	2012	50	254,68	253,92	235	-	25	110	32	3,5		
PBD 90 L 075	13	2012	50	272,87	272,11	253	-	25	110	32	3,5		
PBD 96 L 075	13	2012	50	291,06	290,30	270	-	25	110	32	3,5		
PBD 120 L 075	13	2012	50	363,83	363,07	344	-	25	110	32	3,5		


PBD ... L 100

mm


code code Code código	type type Typ tipo	bushing moyeu Spannbuchse bujie		R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	flange flasque Bord valona	material materiel Werkstoff material
		type type Typ tipo	bore alesage Bohrung bujie max										
PBD 18 L 100	4	1108	28	54,57	53,81	38	62	32	-	22	10	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PBD 19 L 100	4	1108	28	57,61	56,84	38	62	32	-	22	10		
PBD 20 L 100	4	1108	28	60,64	59,88	46	67	32	-	22	10		
PBD 21 L 100	4	1108	28	63,67	62,91	46	67	32	-	22	10		
PBD 22 L 100	4	1108	28	66,70	65,94	46	73	32	-	22	10		
PBD 23 L 100	4	1108	28	69,73	68,97	46	73	32	-	22	10		
PBD 24 L 100	4	1108	28	72,77	72,01	53	80	32	-	22	10		
PBD 25 L 100	4	1108	28	75,80	75,04	53	80	32	-	22	10		
PBD 26 L 100	4	1108	28	78,83	78,07	60	88	32	-	22	10		
PBD 27 L 100	4	1108	28	81,86	81,10	60	88	32	-	22	10		
PBD 28 L 100	4	1108	28	84,89	84,13	65	94	32	-	22	10		
PBD 29 L 100	4	1210	32	87,93	87,16	68	94	32	-	25	7		
PBD 30 L 100	4	1210	32	90,96	90,20	68	98	32	-	25	7		
PBD 32 L 100	4	1210	32	97,02	96,26	76	100	32	-	25	7		
PBD 33 L 100	4	1610	42	100,05	99,29	83	108	32	-	25	7		
PBD 34 L 100	4	1610	42	103,08	103,32	85	108	32	-	25	7		
PBD 35 L 100	4	1610	42	106,12	105,35	85	113	32	-	25	7		
PBD 36 L 100	4	1610	42	109,15	108,39	85	113	32	-	25	7		
PBD 40 L 100	4	1610	42	121,28	120,52	100	129	32	-	25	7		
PBD 41 L 100	4	1610	42	124,31	123,55	100	129	32	-	25	7		
PBD 42 L 100	8	1610	42	127,34	126,58	110	137	32	90	25	7		
PBD 44 L 100	8	1610	42	133,40	132,64	110	142	32	90	25	7		
PBD 45 L 100	8	1610	42	136,44	135,67	118	142	32	90	25	7		
PBD 47 L 100	8	1610	42	142,50	141,74	126	149	32	90	25	7		
PBD 48 L 100	8	1610	42	145,53	144,77	126	151	32	90	25	7		
PBD 49 L 100	11	1610	42	148,56	147,80	132	-	32	90	25	7		
PBD 50 L 100	11	1610	42	151,60	150,83	132	-	32	90	25	7		
PBD 52 L 100	11	1610	42	157,66	156,90	138	-	32	90	25	7		
PBD 56 L 100	11	1610	42	169,79	169,02	152	-	32	90	25	7		
PBD 57 L 100	11	1610	42	172,82	172,06	152	-	32	90	25	7		
PBD 60 L 100	12	1610	42	181,91	181,15	162	-	32	90	25	3,5		
PBD 65 L 100	12	1610	42	197,07	196,31	178	-	32	90	25	3,5		
PBD 66 L 100	12	1610	42	200,11	199,34	178	-	32	90	25	3,5		
PBD 72 L 100	10	2012	50	218,30	217,54	199	-	32	110	32	-		
PBD 84 L 100	14	2012	50	254,68	253,92	235	-	32	110	32	-		
PBD 90 L 100	14	2012	50	272,87	272,11	253	-	32	110	32	-		
PBD 96 L 100	14	2012	50	291,06	290,30	270	-	32	110	32	-		
PBD 120 L 100	14	2012	50	363,83	363,07	344	-	32	110	32	-		




10




11




12




13



14



15




16

PBD ... H 100


mm

code code Code código	type type Typ tipo	bushing moyeu Spannbuchse bujie		R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	flange flasque Bord valona	material materiel Werkstoff material
		type type Typ tipo	bore alesage Bohrung bujie max										
PBD 14 H 100	4	1108	28	56,60	55,23	37	62	31	—	22	9	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PBD 15 H 100	4	1108	28	60,64	59,27	37	67	31	—	22	9		
PBD 16 H 100	4	1108	28	64,68	63,31	46	67	31	—	22	9		
PBD 17 H 100	4	1210	32	68,72	67,35	46	77	31	—	25	6		
PBD 18 H 100	4	1210	32	72,77	71,40	56	80	31	—	25	6		
PBD 19 H 100	4	1210	32	76,81	75,44	56	84	31	—	25	6		
PBD 20 H 100	4	1210	32	80,85	79,48	56	88	31	—	25	6		
PBD 21 H 100	4	1210	32	84,89	83,52	62	94	32	—	25	7		
PBD 22 H 100	4	1210	32	88,94	87,57	62	94	32	—	25	7		
PBD 23 H 100	4	1610	42	92,98	91,61	71	98	32	—	25	7		
PBD 24 H 100	4	1610	42	97,02	95,65	71	104	32	—	25	7		
PBD 25 H 100	4	1610	42	101,06	99,69	78	104	32	—	25	7		
PBD 26 H 100	4	1610	42	105,11	103,74	78	108	32	—	25	7		
PBD 27 H 100	4	1610	42	109,15	107,78	86	113	32	—	25	7		
PBD 28 H 100	4	1610	42	113,19	111,92	86	118	32	—	25	7		
PBD 29 H 100	4	1610	42	117,23	115,86	95	121	32	—	25	7		
PBD 30 H 100	4	1610	42	121,28	119,91	95	129	32	—	25	7		
PBD 32 H 100	8	1610	42	129,36	127,99	110	137	32	82	25	7		
PBD 33 H 100	8	1610	42	133,40	132,03	112	137	32	82	25	7		
PBD 34 H 100	8	1610	42	137,45	136,08	112	142	32	82	25	7		
PBD 35 H 100	8	1610	42	141,49	140,12	120	145	32	82	25	7		
PBD 36 H 100	8	1610	42	145,53	144,16	120	151	32	82	25	7		
PBD 38 H 100	8	1610	42	153,62	152,25	136	158	32	82	25	7		
PBD 40 H 100	8	1610	42	161,70	160,33	136	168	32	82	25	7		
PBD 44 H 100	7	2012	50	177,87	176,50	162	191	32	110	32	—		
PBD 45 H 100	7	2012	50	181,91	180,54	162	189	32	110	32	—		
PBD 48 H 100	7	2012	50	194,04	192,67	168	199	32	110	32	—		
PBD 49 H 100	12	2012	50	198,08	196,71	172	—	34	110	32	1		
PBD 50 H 100	12	2012	50	202,13	200,76	172	—	34	110	32	1		
PBD 52 H 100	12	2012	50	210,21	208,84	185	—	34	110	32	1		
PBD 60 H 100	12	2012	50	242,55	241,18	217	—	34	110	32	1		
PBD 70 H 100	15	2012	50	282,98	281,61	264	—	34	110	32	1		
PBD 72 H 100	15	2012	50	291,06	289,69	264	—	34	110	32	1		
PBD 82 H 100	15	2012	50	331,49	330,12	312	—	34	110	32	1		
PBD 84 H 100	15	2012	50	339,57	338,20	312	—	34	110	32	1		
PBD 94 H 100	13	2517	65	380,00	378,63	357	—	34	120	45	5,5		
PBD 96 H 100	13	2517	65	388,08	386,71	357	—	34	120	45	5,5		
PBD 106 H 100	13	2517	65	428,51	427,14	402	—	34	120	45	5,5		
PBD 116 H 100	13	2517	65	468,93	467,56	442	—	34	120	45	5,5		
PBD 118 H 100	13	2517	65	477,02	475,65	457	—	34	120	45	5,5		
PBD 120 H 100	13	2517	65	485,10	483,73	457	—	34	120	45	5,5		

code code Code código	type type Typ tipo	bushing moyeu Spannbuchse bujie		R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	flange flasque Bord valona	material materiel Werkstoff material
		type type Typ tipo	bore alesage Bohrung bujie max										
PBD 14 H 150	4	1108	28	56,60	55,23	37	62	45	—	22	23	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PBD 15 H 150	4	1108	28	60,64	59,27	37	67	45	—	22	23		
PBD 16 H 150	4	1108	28	64,68	63,31	46	67	45	—	22	23		
PBD 17 H 150	4	1210	32	68,72	67,35	46	77	45	—	25	20		
PBD 18 H 150	4	1210	32	72,77	71,40	56	80	45	—	25	20		
PBD 19 H 150	4	1210	32	76,81	75,44	56	84	45	—	25	20		
PBD 20 H 150	4	1210	32	80,85	79,48	56	88	45	—	25	20		
PBD 21 H 150	4	1210	32	84,89	83,52	62	94	45	—	25	20		
PBD 22 H 150	4	1210	32	88,94	87,57	62	94	45	—	25	20		
PBD 23 H 150	4	1610	42	92,98	91,61	71	98	45	—	25	20		
PBD 24 H 150	4	1610	42	97,02	95,65	71	104	45	—	25	20		
PBD 25 H 150	4	1610	42	101,06	99,69	78	104	45	—	25	20		
PBD 26 H 150	4	1610	42	105,11	103,74	78	108	45	—	25	20		
PBD 27 H 150	4	1610	42	109,15	107,78	86	113	45	—	25	20		
PBD 28 H 150	4	1610	42	113,19	111,92	86	118	45	—	25	20		
PBD 29 H 150	4	1610	42	117,23	115,86	95	121	45	—	25	20		
PBD 30 H 150	4	1610	42	121,28	119,91	95	129	45	—	25	20		
PBD 32 H 150	8	1610	42	129,36	127,99	110	137	45	82	25	20		
PBD 33 H 150	8	1610	42	133,40	132,03	112	137	45	82	25	20		
PBD 34 H 150	8	1610	42	137,45	136,08	112	142	45	82	25	20		
PBD 35 H 150	8	1610	42	141,49	140,12	120	145	45	82	25	20		
PBD 36 H 150	8	1610	42	145,53	144,16	120	151	45	82	25	20		
PBD 38 H 150	8	1610	42	153,62	152,25	136	158	45	82	25	20		
PBD 40 H 150	8	1610	42	161,70	160,33	136	168	45	82	25	20		
PBD 44 H 150	8	2012	50	177,87	176,50	162	191	45	110	32	13		
PBD 45 H 150	8	2012	50	181,91	180,54	162	189	45	110	32	13		
PBD 48 H 150	8	2012	50	194,04	192,67	168	199	45	110	32	13		
PBD 49 H 150	12	2012	50	198,08	196,71	172	—	46	110	32	7		
PBD 50 H 150	12	2012	50	202,13	200,76	172	—	46	110	32	7		
PBD 52 H 150	12	2012	50	210,21	208,84	185	—	46	110	32	7		
PBD 60 H 150	15	2012	50	242,55	241,18	217	—	46	110	32	7		
PBD 70 H 150	15	2012	50	282,98	281,61	264	—	46	110	32	7		
PBD 72 H 150	15	2012	50	291,06	289,69	264	—	46	110	32	7		
PBD 82 H 150	15	2012	50	331,49	330,12	312	—	46	110	32	7		
PBD 84 H 150	15	2012	50	339,57	338,20	312	—	46	110	32	7		
PBD 94 H 150	15	2517	65	380,00	378,63	357	—	46	120	45	0,5		
PBD 96 H 150	15	2517	65	388,08	386,71	357	—	46	120	45	0,5		
PBD 106 H 150	15	2517	65	428,51	427,14	402	—	46	120	45	0,5		
PBD 116 H 150	15	2517	65	468,93	467,56	442	—	46	120	45	0,5		
PBD 118 H 150	15	2517	65	477,02	475,65	457	—	46	120	45	0,5		
PBD 120 H 150	15	2517	65	485,10	483,73	457	—	46	120	45	0,5		




4




8

code code Code código	type type Typ tipo	bushing moyeu Spannbuchse bujie		R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	flange flasque Bord valona	material materiel Werkstoff material
		type type Typ tipo	bore alesage Bohrung bujie max										
PBD 16 H 200	4	1108	28	64,68	63,31	46	67	58	—	22	36	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PBD 17 H 200	4	1210	32	68,72	67,35	52	77	58	—	25	33		
PBD 18 H 200	4	1210	32	72,77	71,40	52	80	58	—	25	33		
PBD 19 H 200	4	1610	42	76,81	75,44	56	84	58	—	25	33		
PBD 20 H 200	4	1610	42	80,85	79,48	56	88	58	—	25	33		
PBD 21 H 200	4	1610	42	84,89	83,52	62	94	58	—	25	33		
PBD 22 H 200	4	1610	42	88,94	87,57	62	94	58	—	25	33		
PBD 23 H 200	4	1610	42	92,98	91,61	71	98	58	—	25	33		
PBD 24 H 200	4	1610	42	97,02	95,65	71	104	58	—	25	33		
PBD 25 H 200	4	1610	42	101,06	99,69	78	104	58	—	25	33		
PBD 26 H 200	4	1610	42	105,11	103,74	78	108	58	—	25	33		
PBD 27 H 200	4	1610	42	109,15	107,78	86	113	58	—	25	33		
PBD 28 H 200	4	1610	42	113,19	111,92	86	118	58	—	25	33		
PBD 29 H 200	4	1610	42	117,23	115,86	95	121	58	—	25	33		
PBD 30 H 200	4	1610	42	121,28	119,91	95	129	58	—	25	33		
PBD 32 H 200	4	2012	50	129,36	127,99	110	137	58	—	32	26		
PBD 33 H 200	4	2012	50	133,40	132,03	112	137	58	—	32	26		
PBD 34 H 200	4	2012	50	137,45	136,08	112	142	58	—	32	26		
PBD 35 H 200	8	2012	50	141,49	140,12	120	145	58	102	32	26		
PBD 36 H 200	8	2012	50	145,53	144,16	120	151	58	102	32	26		
PBD 38 H 200	8	2012	50	153,62	152,25	136	158	58	110	32	26		
PBD 40 H 200	8	2012	50	161,70	160,33	136	168	58	110	32	26		
PBD 44 H 200	8	2012	50	177,87	176,50	162	191	58	110	32	26		
PBD 45 H 200	8	2012	50	181,91	180,54	162	189	58	110	32	26		
PBD 48 H 200	8	2517	65	194,04	192,67	168	199	58	120	45	13		
PBD 49 H 200	12	2517	65	198,08	196,71	172	—	60	120	45	7,5		
PBD 50 H 200	12	2517	65	202,13	200,76	172	—	60	120	45	7,5		
PBD 52 H 200	12	2517	65	210,21	208,84	185	—	60	120	45	7,5		
PBD 60 H 200	15	2517	65	242,55	241,18	217	—	60	120	45	7,5		
PBD 70 H 200	15	2517	65	282,98	281,61	264	—	60	120	45	7,5		
PBD 72 H 200	15	2517	65	291,06	289,69	264	—	60	120	45	7,5		
PBD 82 H 200	15	2517	65	331,49	330,12	312	—	60	120	45	7,5		
PBD 84 H 200	15	2517	65	339,57	338,20	312	—	60	120	45	7,5		
PBD 94 H 200	15	2517	65	380,00	378,63	357	—	60	120	45	7,5		
PBD 96 H 200	15	2517	65	388,08	386,71	357	—	60	120	45	7,5		
PBD 106 H 200	15	2517	65	428,51	427,14	402	—	60	120	45	7,5		
PBD 116 H 200	15	2517	65	468,93	467,56	442	—	60	120	45	7,5		
PBD 118 H 200	15	2517	65	477,02	475,65	457	—	60	120	45	7,5		
PBD 120 H 200	15	2517	65	485,10	483,73	457	—	60	120	45	7,5		



12




15


PBD ... H 300

mm


code code Code código	type type Typ tipo	bushing moyeu Spannbuchse bujie		R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	flange flasque Bord valona	material materiel Werkstoff material
		type type Typ tipo	bore alesage Bohrung bujie max										
PBD 19 H 300	3	1215	32	76,81	75,44	56	84	84	—	38	23	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PBD 20 H 300	3	1615	42	80,85	79,48	56	88	84	—	38	23		
PBD 21 H 300	3	1615	42	84,89	83,52	62	94	84	—	38	23		
PBD 22 H 300	3	1615	42	88,94	87,57	62	94	84	—	38	23		
PBD 23 H 300	3	1615	42	92,98	91,61	71	98	84	—	38	23		
PBD 24 H 300	3	1615	42	97,02	95,65	71	104	84	—	38	23		
PBD 25 H 300	3	1615	42	101,06	99,69	78	104	84	—	38	23		
PBD 26 H 300	3	1615	42	105,11	103,74	78	108	84	—	38	23		
PBD 27 H 300	3	2012	50	109,15	107,78	86	113	84	—	32	26		
PBD 28 H 300	3	2012	50	113,19	111,92	86	118	84	—	32	26		
PBD 29 H 300	3	2012	50	117,23	115,86	95	121	84	—	32	26	without flanges sous flasques ohne Borde sin valona	
PBD 30 H 300	3	2012	50	121,28	119,91	95	129	84	—	32	26		
PBD 32 H 300	3	2517	65	129,36	127,99	110	137	84	—	45	19,5		
PBD 33 H 300	3	2517	65	133,40	132,03	112	137	84	—	45	19,5		
PBD 34 H 300	3	2517	65	137,45	136,08	112	142	84	—	45	19,5		
PBD 35 H 300	3	2517	65	141,49	140,12	120	145	84	—	45	19,5		
PBD 36 H 300	3	2517	65	145,53	144,16	120	151	84	—	45	19,5		
PBD 38 H 300	5	2517	65	153,62	152,25	136	158	84	120	45	19,5		
PBD 40 H 300	5	2517	65	161,70	160,33	136	168	84	120	45	19,5		
PBD 44 H 300	5	2517	65	177,87	176,50	162	191	86	120	45	20,5		
PBD 45 H 300	5	2517	65	181,91	180,54	162	189	86	120	45	20,5		
PBD 48 H 300	5	2517	65	194,04	192,67	168	199	86	120	45	20,5		
PBD 49 H 300	12	2517	65	198,08	196,71	172	—	86	120	45	20,5		
PBD 50 H 300	12	2517	65	202,13	200,76	172	—	86	120	45	20,5		
PBD 52 H 300	12	2517	65	210,21	208,84	185	—	86	120	45	20,5		
PBD 60 H 300	15	2517	65	242,55	241,18	217	—	86	120	45	20,5		
PBD 70 H 300	15	2517	65	282,98	281,61	264	—	86	120	45	20,5		
PBD 72 H 300	15	2517	65	291,06	289,69	264	—	86	120	45	20,5		
PBD 82 H 300	15	2517	65	331,49	330,12	312	—	86	120	45	20,5		
PBD 84 H 300	15	2517	65	339,57	338,20	312	—	86	120	45	20,5		
PBD 94 H 300	15	3030	75	380,00	378,63	357	—	86	146	76	5		
PBD 96 H 300	15	3030	75	388,08	386,71	357	—	86	146	76	5		
PBD 106 H 300	15	3030	75	428,51	427,14	402	—	86	146	76	5		
PBD 116 H 300	15	3030	75	468,93	467,56	442	—	86	146	76	5		
PBD 118 H 300	15	3030	75	477,02	475,65	457	—	86	146	76	5		
PBD 120 H 300	15	3030	75	485,10	483,73	457	—	86	146	76	5		



3



4




5


PBD ... XH 200

mm


code code Code código	type type Typ tipo	bushing moyeu Spannbuchse bujie		R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	flange flasque Bord valona	material materiel Werkstoff material
		type type Typ tipo	bore alesage Bohrung bujie max										
PBD 18 XH 200	4	2517	65	127,34	124,55	95	134	64	—	45	19	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PBD 19 XH 200	4	2517	65	134,41	131,62	101	142	64	—	45	19		
PBD 20 XH 200	4	2517	65	141,49	138,70	101	150	64	—	45	19		
PBD 21 XH 200	4	2517	65	148,56	145,77	115	158	64	—	45	19		
PBD 22 XH 200	4	2517	65	155,64	152,85	115	166	64	—	45	19		
PBD 24 XH 200	4	2517	65	169,79	167,00	129	177	64	—	45	19		
PBD 25 XH 200	4	2517	65	176,86	174,07	143	186	64	—	45	19		
PBD 26 XH 200	4	2517	65	183,94	171,15	143	191	64	—	45	19		
PBD 27 XH 200	5	2517	65	191,01	188,22	157	200	64	120	45	9,5		
PBD 28 XH 200	5	2517	65	198,08	195,29	157	199	64	120	45	9,5		
PBD 30 XH 200	5	2517	65	212,23	209,44	180	216	64	120	45	9,5	without flanges sous flasques ohne Borde sin valona	
PBD 32 XH 200	5	2517	65	226,38	223,59	195	232	64	120	45	9,5		
PBD 34 XH 200	5	2517	65	240,53	237,74	208	261	64	120	45	9,5		
PBD 38 XH 200	5	2517	65	268,83	266,03	234	274	64	120	45	9,5		
PBD 40 XH 200	5	3020	75	282,98	280,19	242	288	64	146	51	6,5		
PBD 46 XH 200	15	3020	75	325,42	322,63	285	—	64	146	51	6,5		
PBD 48 XH 200	15	3020	75	339,57	336,78	299	—	64	146	51	6,5		
PBD 58 XH 200	15	3020	75	410,32	407,52	370	—	64	146	51	6,5		
PBD 60 XH 200	13	3535	90	424,47	421,68	384	—	64	178	89	12,5		
PBD 70 XH 200	13	3535	90	495,21	492,42	455	—	64	178	89	12,5		
PBD 72 XH 200	13	3535	90	509,36	506,57	469	—	64	178	89	12,5		
PBD 78 XH 200	13	3535	90	551,80	549,01	511	—	64	178	89	12,5		
PBD 80 XH 200	13	3535	90	565,95	563,16	525	—	64	178	89	12,5		
PBD 82 XH 200	13	3535	90	580,10	577,31	539	—	64	178	89	12,5		
PBD 84 XH 200	13	3535	90	594,25	591,46	554	—	64	178	89	12,5		



12



13




15


PBD ... XH 300

mm


code code Code código	type type Typ tipo	bushing moyeu Spannbuchse bujie		R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	flange flasque Borde valona	material materiel Werkstoff material
		type type Typ tipo	bore alesage Bohrung bujie max										
PBD 18 XH 300	4	2517	65	127,34	124,55	95	134	90	-	45	45	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PBD 19 XH 300	4	2517	65	134,41	131,62	95	142	90	-	45	45		
PBD 20 XH 300	4	2517	65	141,49	138,70	101	150	90	-	45	45		
PBD 21 XH 300	4	2517	65	148,56	145,77	115	158	90	-	45	45		
PBD 22 XH 300	4	2517	65	155,64	152,85	115	166	90	-	45	45		
PBD 24 XH 300	4	2517	65	169,79	167,00	129	177	90	-	45	45		
PBD 25 XH 300	4	2517	65	176,86	174,07	143	186	90	-	45	45		
PBD 26 XH 300	4	2517	65	183,94	171,15	143	191	90	-	45	45		
PBD 27 XH 300	8	3020	75	191,01	188,22	157	200	90	146	51	39		
PBD 28 XH 300	8	3020	75	198,08	195,29	157	199	90	146	51	39		
PBD 30 XH 300	8	3020	75	212,23	209,44	172	216	90	146	51	39	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PBD 32 XH 300	8	3020	75	226,38	223,59	186	232	90	146	51	39		
PBD 34 XH 300	8	3020	75	240,53	237,74	200	261	90	146	51	39		
PBD 38 XH 300	8	3020	75	268,83	266,03	228	274	90	146	51	39		
PBD 40 XH 300	5	3020	75	282,98	280,19	245	288	90	146	51	19,5		
PBD 46 XH 300	12	3020	75	325,42	322,63	285	-	90	146	51	19,5		
PBD 48 XH 300	12	3020	75	339,57	336,78	299	-	90	146	51	19,5		
PBD 58 XH 300	12	3535	90	410,32	407,52	370	-	90	178	89	0,5		
PBD 60 XH 300	12	3535	90	424,47	421,68	384	-	90	178	89	0,5		
PBD 70 XH 300	15	3535	90	495,21	492,42	455	-	90	178	89	0,5		
PBD 72 XH 300	15	3535	90	509,36	506,57	469	-	90	178	89	0,5	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PBD 78 XH 300	15	3535	90	551,80	549,01	511	-	90	178	89	0,5		
PBD 80 XH 300	15	3535	90	565,95	563,16	525	-	90	178	89	0,5		
PBD 82 XH 300	15	3535	90	580,10	577,31	539	-	90	178	89	0,5		
PBD 84 XH 300	13	4040	100	594,25	591,46	554	-	90	215	102	6		




4




5




8



12



13



15

PBD ... XH 400

mm


code code Code código	type type Typ tipo	bushing moyeu Spannbuchse bujie		R Ø	S Ø	U Ø	e Ø	W	H Ø	Y	Z	flange flasque Borde valona	material materiel Werkstoff material
		type type Typ tipo	bore alesage Bohrung bujie max										
PBD 18 XH 400	4	2517	65	127,34	124,55	95	134	119	-	45	74	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PBD 19 XH 400	4	2517	65	134,41	131,62	95	142	119	-	45	74		
PBD 20 XH 400	4	2517	65	141,49	138,70	101	150	119	-	45	74		
PBD 21 XH 400	4	2517	65	148,56	145,77	115	158	119	-	45	74		
PBD 22 XH 400	4	2517	65	155,64	152,85	115	166	119	-	45	74		
PBD 24 XH 400	4	3020	75	169,79	167,00	129	177	119	-	51	68		
PBD 25 XH 400	4	3020	75	176,86	174,07	143	186	119	-	51	68		
PBD 26 XH 400	4	3020	75	183,94	171,15	143	191	119	-	51	68		
PBD 27 XH 400	4	3020	75	191,01	188,22	157	200	119	-	51	68		
PBD 28 XH 400	4	3020	75	198,08	195,29	157	199	119	-	51	68		
PBD 30 XH 400	8	3020	75	212,23	209,44	180	216	119	146	51	68	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PBD 32 XH 400	8	3020	75	226,38	223,59	195	232	119	146	51	68		
PBD 34 XH 400	8	3020	75	240,53	237,74	208	261	119	146	51	68		
PBD 38 XH 400	8	3020	75	268,83	266,03	234	274	119	146	51	68		
PBD 40 XH 400	5	3535	90	282,98	280,19	242	288	119	178	89	15		
PBD 46 XH 400	12	3535	90	325,42	322,63	285	-	119	178	89	15		
PBD 48 XH 400	12	3535	90	339,57	336,78	299	-	119	178	89	15		
PBD 58 XH 400	15	3535	90	410,32	407,52	370	-	119	178	89	51		
PBD 60 XH 400	15	4040	100	424,47	421,68	384	-	119	215	102	8,5		
PBD 70 XH 400	15	4040	100	495,21	492,42	455	-	119	215	102	8,5		
PBD 72 XH 400	15	4040	100	509,36	506,57	469	-	119	215	102	8,5	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PBD 78 XH 400	15	4040	100	551,80	549,01	511	-	119	215	102	8,5		
PBD 80 XH 400	15	4040	100	565,95	563,16	525	-	119	90	102	8,5		
PBD 82 XH 400	15	4040	100	580,10	577,31	539	-	119	90	102	8,5		
PBD 84 XH 400	15	4040	100	594,25	591,46	554	-	119	90	102	8,5		

«EXPORT» STANDARD TIMING PULLEYS
«EXPORT» POULIES DENTEES
«EXPORT» STANDARD-ZAHNSCHEIBEN
«EXPORT» POLEAS DENTADAS


PDE ... XL 037

code code Code código	type type Typ tipo	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	e Ø	Y	Z	U	H Ø	W	d Ø	(Mx)	flange flasque Bord valona	material materiel Werkstoff material
PDE 10 XL 037	1	6F	10	16,17	15,66	20	19,8	5,5	-	9,5	14,3	4	M3	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PDE 11 XL 037	1	6F	11	17,79	17,28	20	19,8	5,5	-	11,1	14,3	4	M3		
PDE 12 XL 037	1	6F	12	19,40	18,89	24	19,8	5,5	-	12,7	14,3	4	M3		
PDE 14 XL 037	1	6F	14	22,64	22,16	27	19,8	5,5	-	14,3	14,3	6	M4		
PDE 15 XL 037	1	6F	15	24,25	23,74	27	19,8	5,5	-	15,9	14,3	6	M4		
PDE 16 XL 037	1	6F	16	25,87	25,36	30	19,8	5,5	-	17,5	14,3	6	M4		
PDE 18 XL 037	1	6F	18	29,11	28,60	33	19,8	5,5	-	20,6	14,3	6	M4		
PDE 20 XL 037	1	6F	20	32,34	31,83	36	22,2	7,9	-	23,8	14,3	6	M4		
PDE 21 XL 037	1	6F	21	33,96	33,45	40	22,2	7,9	-	23,8	14,3	6	M4		
PDE 22 XL 037	1	6F	22	35,57	35,06	40	22,2	7,9	-	25,4	14,3	6	M4		
PDE 24 XL 037	1	6F	24	38,81	38,30	46	22,2	7,9	-	27,0	14,3	6	M4	without flanges sous flasques ohne Borde sin valona	Aluminium Aluminium Aluminium Aluminio
PDE 26 XL 037	1	6F	26	42,03	41,53	46	22,2	7,9	-	30,0	14,3	6	M4		
PDE 28 XL 037	1	6F	28	45,28	44,77	50	22,2	7,9	-	30,2	14,3	6	M4		
PDE 30 XL 037	1	6F	30	49,51	48,00	55	22,2	7,9	-	34,9	14,3	6	M4		
PDE 32 XL 037	2	6	32	51,74	51,23	-	25,4	11,1	-	38,0	14,3	8	M4		
PDE 36 XL 037	2	6	36	58,21	57,70	-	25,4	11,1	-	38,0	14,3	8	M4		
PDE 40 XL 037	2	6	40	64,68	64,17	-	25,4	11,1	-	38,0	14,3	8	M4		
PDE 42 XL 037	4	6W	42	67,91	67,40	-	25,4	11,1	-	38,0	14,3	8	M4		
PDE 44 XL 037	4	6W	44	71,15	70,64	-	25,4	11,1	-	38,0	14,3	8	M4		
PDE 48 XL 037	4	6W	48	77,62	77,11	-	25,4	11,1	-	38,0	14,3	8	M4		
PDE 60 XL 037	7	6A	60	97,02	96,51	-	25,4	11,1	-	38,0	14,3	8	M4		
PDE 72 XL 037	7	6A	72	116,43	115,92	-	25,4	11,1	-	38,0	14,3	8	M4		


(Mx) set-screws - vis blocage - Stift-Schrauben - yornillos de bloqueo



1




2




3

PDE ... L 050


code code Code código	type type Typ tipo	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	e Ø	Y	Z	U Ø	H Ø	W	E	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PDE 10 L 050	1	6F	10	30,32	29,56	33	26,0	7,0	-	22,0	19,0	-	6	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PDE 12 L 050	1	6F	12	36,38	35,62	40	26,0	7,0	-	28,0	19,0	-	6		
PDE 13 L 050	1	6F	13	39,41	38,65	47	26,0	7,0	-	30,0	19,0	-	6		
PDE 14 L 050	1	6F	14	42,45	41,69	46	26,0	7,0	-	33,0	19,0	-	6		
PDE 15 L 050	1	6F	15	45,48	44,72	50	26,0	7,0	-	36,0	19,0	-	8		
PDE 16 L 050	1	6F	16	48,51	47,75	55	26,0	7,0	-	38,0	19,0	-	8		
PDE 17 L 050	1	6F	17	51,54	50,78	55	26,0	7,0	-	40,0	19,0	-	10		
PDE 18 L 050	1	6F	18	54,57	53,81	62	26,0	7,0	-	40,0	19,0	-	10		
PDE 19 L 050	1	6F	19	57,61	56,84	62	26,0	7,0	-	40,0	19,0	-	10		
PDE 20 L 050	1	6F	20	60,64	59,88	67	26,0	7,0	-	46,0	19,0	-	10		
PDE 21 L 050	1	6F	21	63,67	62,91	67	26,0	7,0	-	46,0	19,0	-	10	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PDE 22 L 050	1	6F	22	66,70	65,94	73	26,0	7,0	-	50,0	19,0	-	10		
PDE 24 L 050	1	6F	26	72,77	72,01	80	26,0	7,0	-	50,0	19,0	-	12		
PDE 26 L 050	1	6F	26	78,83	78,07	88	26,0	7,0	-	50,0	19,0	-	12		
PDE 28 L 050	1	6F	28	84,89	84,13	94	26,0	7,0	-	50,0	19,0	-	12		
PDE 30 L 050	1	6F	30	90,96	90,20	98	26,0	7,0	-	50,0	19,0	-	12		
PDE 32 L 050	1	6F	32	97,02	96,26	100	26,0	7,0	-	50,0	19,0	-	12		
PDE 36 L 050	3	6WF	36	109,15	108,39	113	26,0	7,0	85,0	50,0	19,0	-	12		
PDE 40 L 050	3	6WF	40	121,28	120,52	129	26,0	7,0	101,0	50,0	19,0	-	12		
PDE 44 L 050	6	6AF	44	133,40	132,64	142	26,0	7,0	110,0	50,0	19,0	-	12		
PDE 48 L 050	6	6AF	48	145,53	144,77	151	26,0	7,0	123,0	50,0	19,0	-	12		
PDE 50 L 050	7	6A	50	151,60	150,83	-	28,0	9,0	159,0	50,0	19,0	-	15		
PDE 72 L 050	7	6A	72	218,30	217,54	-	28,0	9,0	195,0	50,0	19,0	-	15		
PDE 84 L 050	7	6A	84	254,68	253,92	-	28,0	9,0	228,0	50,0	19,0	-	15		



4



6




7


PDE ... L 075

mm

code code Code código	type type Typ tipo	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	e Ø	Y	Z	U Ø	H Ø	W	E	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PDE 12 L 075	1	6F	12	36,38	35,62	40	32,0	7,0	-	28,0	25,0	-	8	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PDE 13 L 075	1	6F	13	39,41	38,65	47	32,0	7,0	-	30,0	25,0	-	8		
PDE 14 L 075	1	6F	14	42,45	41,69	46	32,0	7,0	-	33,0	25,0	-	8		
PDE 15 L 075	1	6F	15	45,48	44,72	50	32,0	7,0	-	36,0	25,0	-	8		
PDE 16 L 075	1	6F	16	48,51	47,75	55	32,0	7,0	-	38,0	25,0	-	8		
PDE 17 L 075	1	6F	17	51,54	50,78	55	32,0	7,0	-	40,0	25,0	-	10		
PDE 18 L 075	1	6F	18	54,57	53,81	62	32,0	7,0	-	40,0	25,0	-	10		
PDE 19 L 075	1	6F	19	57,61	56,84	62	32,0	7,0	-	40,0	25,0	-	10		
PDE 20 L 075	1	6F	20	60,64	59,88	67	32,0	7,0	-	46,0	25,0	-	10		
PDE 21 L 075	1	6F	21	63,67	62,91	67	32,0	7,0	-	46,0	25,0	-	10		
PDE 22 L 075	1	6F	22	66,70	65,94	73	32,0	7,0	-	50,0	25,0	-	10		
PDE 24 L 075	1	6F	26	72,77	72,01	80	32,0	7,0	-	50,0	25,0	-	12		
PDE 26 L 075	1	6F	26	78,83	78,07	88	32,0	7,0	-	50,0	25,0	-	12		
PDE 28 L 075	1	6F	28	84,89	84,13	94	32,0	7,0	-	50,0	25,0	-	12		
PDE 30 L 075	1	6F	30	90,96	90,20	98	32,0	7,0	-	50,0	25,0	-	12		
PDE 32 L 075	1	6F	32	97,02	96,26	100	32,0	7,0	-	50,0	25,0	-	12		
PDE 36 L 075	3	6WF	36	109,15	108,39	113	32,0	7,0	85,0	55,0	25,0	-	12		
PDE 40 L 075	3	6WF	40	121,28	120,52	129	32,0	7,0	101,0	60,0	25,0	-	12		
PDE 44 L 075	6	6AF	44	133,40	132,64	142	32,0	7,0	110,0	60,0	25,0	-	12		
PDE 48 L 075	6	6AF	48	145,53	144,77	151	32,0	7,0	123,0	60,0	25,0	-	12	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PDE 60 L 075	7	6A	60	181,91	181,15	-	35,0	7,0	159,0	60,0	26,0	-	15		
PDE 72 L 075	7	6A	72	218,30	217,54	-	35,0	7,0	195,0	60,0	26,0	-	15		
PDE 84 L 075	7	6A	84	254,68	253,92	-	35,0	7,0	228,0	60,0	26,0	-	15		



1




3


PDE ... L 100

mm

code code Code código	type type Typ tipo	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	e Ø	Y	Z	U Ø	H Ø	W	E	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PDE 12 L 100	1	6F	12	36,38	35,62	40	38,0	7,0	-	28,0	31,0	-	8	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PDE 13 L 100	1	6F	13	39,41	38,65	47	38,0	7,0	-	30,0	31,0	-	8		
PDE 14 L 100	1	6F	14	42,45	41,69	46	38,0	7,0	-	33,0	31,0	-	8		
PDE 15 L 100	1	6F	15	45,48	44,72	50	38,0	7,0	-	36,0	31,0	-	8		
PDE 16 L 100	1	6F	16	48,51	47,75	55	38,0	7,0	-	38,0	31,0	-	8		
PDE 17 L 100	1	6F	17	51,54	50,78	55	38,0	7,0	-	40,0	31,0	-	10		
PDE 18 L 100	1	6F	18	54,57	53,81	62	38,0	7,0	-	40,0	31,0	-	10		
PDE 19 L 100	1	6F	19	57,61	56,84	62	38,0	7,0	-	40,0	31,0	-	10		
PDE 20 L 100	1	6F	20	60,64	59,88	67	38,0	7,0	-	46,0	31,0	-	10		
PDE 21 L 100	1	6F	21	63,67	62,91	67	38,0	7,0	-	46,0	31,0	-	10		
PDE 22 L 100	1	6F	22	66,70	65,94	73	38,0	7,0	-	50,0	31,0	-	10		
PDE 24 L 100	1	6F	26	72,77	72,01	80	38,0	7,0	-	50,0	31,0	-	12		
PDE 26 L 100	1	6F	26	78,83	78,07	88	38,0	7,0	-	50,0	31,0	-	12		
PDE 28 L 100	1	6F	28	84,89	84,13	94	38,0	7,0	-	50,0	31,0	-	12		
PDE 30 L 100	1	6F	30	90,96	90,20	98	38,0	7,0	-	50,0	31,0	-	12		
PDE 32 L 100	1	6F	32	97,02	96,26	100	38,0	7,0	-	50,0	31,0	-	12		
PDE 36 L 100	5	6WCF	36	109,15	108,39	113	32,0	6,0	85,0	55,0	32,0	6	12	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PDE 40 L 100	5	6WCF	40	121,28	120,52	129	32,0	6,0	101,0	60,0	32,0	6	12		
PDE 44 L 100	8	10AF	44	133,40	132,64	142	32,0	-	110,0	60,0	32,0	-	12		
PDE 48 L 100	8	10AF	48	145,53	144,77	151	32,0	-	123,0	60,0	32,0	-	12		
PDE 60 L 100	7	6A	60	181,91	181,15	-	35,0	3,0	159,0	60,0	32,0	-	15	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PDE 72 L 100	7	6A	72	218,30	217,54	-	35,0	3,0	195,0	60,0	32,0	-	15		
PDE 84 L 100	7	6A	84	254,68	253,92	-	35,0	3,0	228,0	60,0	32,0	-	15		
PDE 120 L 100	7	6A	120	485,10	483,73	-	50,0	16,0	455,0	90,0	34,0	-	20		



5




6


PDE ... H 100

mm

code code Code código	type type Typ tipo	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	e Ø	Y	Z	U Ø	H Ø	W	E	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PDE 14 H 100	1	6F	14	56,60	55,23	62	41,0	10,0	-	40,0	31,0	-	10	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PDE 16 H 100	1	6F	16	64,68	63,31	67	41,0	10,0	-	46,0	31,0	-	10		
PDE 18 H 100	1	6F	18	72,77	71,40	80	41,0	10,0	-	54,0	31,0	-	12		
PDE 19 H 100	1	6F	19	76,81	75,44	84	41,0	10,0	-	58,0	31,0	-	12		
PDE 20 H 100	1	6F	20	80,85	79,48	88	41,0	10,0	-	62,0	31,0	-	12		
PDE 21 H 100	1	6F	21	84,89	83,52	94	41,0	10,0	-	67,0	31,0	-	12		
PDE 22 H 100	1	6F	22	88,94	87,57	94	41,0	10,0	-	70,0	31,0	-	12		
PDE 24 H 100	1	6F	24	97,02	95,65	104	41,0	10,0	-	75,0	31,0	-	12		
PDE 26 H 100	5	6WCF	26	105,11	103,74	108	32,0	8,0	83,0	55,0	32,0	8	15		
PDE 28 H 100	5	6WCF	28	113,19	111,92	118	32,0	8,0	92,0	60,0	32,0	8	15		
PDE 30 H 100	5	6WCF	30	121,28	119,91	129	32,0	8,0	101,0	60,0	32,0	8	15		
PDE 32 H 100	3	6WF	32	129,36	127,99	137	40,0	8,0	109,0	70,0	32,0	-	20		
PDE 36 H 100	3	6WF	36	145,53	144,16	151	40,0	8,0	123,0	80,0	32,0	-	20		
PDE 40 H 100	6	6AF	40	161,70	160,33	168	40,0	8,0	140,0	80,0	32,0	-	20		
PDE 44 H 100	6	6AF	44	177,87	176,50	191	40,0	8,0	149,0	80,0	32,0	-	20		
PDE 48 H 100	6	6AF	48	194,04	192,67	199	40,0	8,0	169,0	80,0	32,0	-	20	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PDE 60 H 100	7	6A	60	242,55	241,18	-	45,0	11,0	215,0	80,0	32,0	-	20		
PDE 72 H 100	7	6A	72	291,06	289,69	-	45,0	11,0	262,0	80,0	34,0	-	20		
PDE 84 H 100	7	6A	84	339,57	338,20	-	45,0	11,0	312,0	80,0	34,0	-	20		
PDE 96 H 100	7	6A	96	388,08	386,71	-	45,0	11,0	359,0	80,0	34,0	-	20	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PDE 120 H 100	7	6A	120	485,10	483,73	-	50,0	16,0	455,0	90,0	34,0	-	20		




7




8

PDE ... H 150

code code Code código	type type Typ tipo	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	e Ø	Y	Z	U Ø	H Ø	W	E	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PDE 14 H 150	1	6F	14	56,60	55,23	62	54,0	10,0	-	40,0	44,0	-	12	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PDE 16 H 150	1	6F	16	64,68	63,31	67	54,0	10,0	-	46,0	44,0	-	12		
PDE 18 H 150	1	6F	18	72,77	71,40	80	54,0	10,0	-	54,0	44,0	-	12		
PDE 19 H 150	1	6F	19	76,81	75,44	84	54,0	10,0	-	58,0	44,0	-	12		
PDE 20 H 150	1	6F	20	80,85	79,48	88	54,0	10,0	-	62,0	44,0	-	12		
PDE 21 H 150	1	6F	21	84,89	83,52	94	54,0	10,0	-	67,0	44,0	-	12	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PDE 22 H 150	1	6F	22	88,94	87,57	94	54,0	10,0	-	70,0	44,0	-	12		
PDE 24 H 150	1	6F	24	97,02	95,65	104	54,0	10,0	-	75,0	44,0	-	12		
PDE 26 H 150	5	6WCF	26	105,11	103,74	108	35,0	8,0	83,0	55,0	45,0	18	15		
PDE 28 H 150	5	6WCF	28	113,19	111,92	118	35,0	8,0	92,0	60,0	45,0	18	15		
PDE 30 H 150	5	6WCF	30	121,28	119,91	129	35,0	8,0	101,0	60,0	45,0	18	15	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PDE 32 H 150	5	6WCF	32	129,36	127,99	137	45,0	8,0	109,0	70,0	45,0	8	20		
PDE 36 H 150	5	6WCF	36	145,53	144,16	151	45,0	8,0	123,0	80,0	45,0	8	20		
PDE 40 H 150	8	10AF	40	161,70	160,33	168	45,0	-	140,0	80,0	45,0	-	20		
PDE 44 H 150	8	10AF	44	177,87	176,50	191	45,0	-	149,0	80,0	45,0	-	20		
PDE 48 H 150	8	10AF	48	194,04	192,67	199	45,0	-	169,0	80,0	45,0	-	20	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PDE 60 H 150	9	10A	60	242,55	241,18	-	46,0	-	215,0	85,0	46,0	-	20		
PDE 72 H 150	9	10A	72	291,06	289,69	-	46,0	-	262,0	85,0	46,0	-	20		
PDE 84 H 150	9	10A	84	339,57	338,20	-	46,0	-	312,0	85,0	46,0	-	20		
PDE 96 H 150	9	10A	96	388,08	386,71	-	46,0	-	359,0	85,0	46,0	-	20		
PDE 120 H 150	7	6A	120	485,10	483,73	-	55,0	9,0	455,0	95,0	46,0	-	24		




1




5

PDE ... H 200

code code Code código	type type Typ tipo	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	e Ø	Y	Z	U Ø	H Ø	W	E	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PDE 14 H 200	1	6F	14	56,60	55,23	62	68,0	10,0	-	40,0	58,0	-	12	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PDE 16 H 200	1	6F	16	64,68	63,31	67	68,0	10,0	-	46,0	58,0	-	15		
PDE 18 H 200	1	6F	18	72,77	71,40	80	68,0	10,0	-	54,0	58,0	-	15		
PDE 19 H 200	1	6F	19	76,81	75,44	84	68,0	10,0	-	58,0	58,0	-	15		
PDE 20 H 200	1	6F	20	80,85	79,48	88	68,0	10,0	-	62,0	58,0	-	15		
PDE 21 H 200	1	6F	21	84,89	83,52	94	68,0	10,0	-	67,0	58,0	-	15	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PDE 22 H 200	1	6F	22	88,94	87,57	94	68,0	10,0	-	70,0	58,0	-	15		
PDE 24 H 200	1	6F	24	97,02	95,65	104	68,0	10,0	-	75,0	58,0	-	15		
PDE 26 H 200	5	6WCF	26	105,11	103,74	108	42,0	8,0	83,0	60,0	58,0	24	15		
PDE 28 H 200	5	6WCF	28	113,19	111,92	118	42,0	8,0	92,0	60,0	58,0	24	15		
PDE 30 H 200	5	6WCF	30	121,28	119,91	129	42,0	8,0	101,0	70,0	58,0	24	15	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PDE 32 H 200	5	6WCF	32	129,36	127,99	137	47,0	8,0	109,0	70,0	58,0	19	20		
PDE 36 H 200	5	6WCF	36	145,53	144,16	151	47,0	8,0	123,0	80,0	58,0	19	20		
PDE 40 H 200	10	11AF	40	161,70	160,33	168	45,0	13,0	139,0	80,0	58,0	-	20		
PDE 44 H 200	10	11AF	44	177,87	176,50	191	45,0	13,0	149,0	80,0	58,0	-	20		
PDE 48 H 200	10	11AF	48	194,04	192,67	199	45,0	13,0	169,0	85,0	58,0	-	20	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PDE 60 H 200	11	11A	60	242,55	241,18	-	50,0	10,0	215,0	90,0	60,0	-	20		
PDE 72 H 200	11	11A	72	291,06	289,69	-	50,0	10,0	262,0	90,0	60,0	-	20		
PDE 84 H 200	11	11A	84	339,57	338,20	-	50,0	10,0	312,0	90,0	60,0	-	20		
PDE 96 H 200	11	11A	96	388,08	386,71	-	50,0	10,0	359,0	90,0	60,0	-	20		
PDE 120 H 200	9	10A	120	485,10	483,73	-	60,0	0,0	455,0	100,0	60,0	-	24		




7




9

PDE ... H 300

code code Code código	type type Typ tipo	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	e Ø	Y	Z	U Ø	H Ø	W	E	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PDE 16 H 300	1	6F	16	64,68	63,31	67	94,0	10,0	-	46,0	84,0	-	15	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PDE 18 H 300	1	6F	18	72,77	71,40	80	94,0	10,0	-	54,0	84,0	-	15		
PDE 19 H 300	1	6F	19	76,81	75,44	84	94,0	10,0	-	58,0	84,0	-	15		
PDE 20 H 300	1	6F	20	80,85	79,48	88	94,0	10,0	-	62,0	84,0	-	15		
PDE 21 H 300	1	6F	21	84,89	83,52	94	94,0	10,0	-	67,0	84,0	-	15		
PDE 22 H 300	1	6F	22	88,94	87,57	94	94,0	10,0	-	70,0	84,0	-	15	with flanges avec flasques mit Borde con valona	steel acier Stahl acero
PDE 24 H 300	1	6F	24	97,02	95,65	104	94,0	10,0	-	75,0	84,0	-	15		
PDE 26 H 300	5	6WCF	26	105,11	103,74	108	57,0	8,0	83,0	60,0	84,0	35	15		
PDE 28 H 300	5	6WCF	28	113,19	111,92	118	57,0	8,0	92,0	60,0	84,0	35	15		
PDE 30 H 300	5	6WCF	30	121,28	119,91	129	57,0	8,0	101,0	70,0	84,0	35	15		
PDE 32 H 300	5	6WCF	32	129,36	127,99	137	57,0	8,0	109,0	70,0	84,0	35	20	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PDE 36 H 300	5	6WCF	36	145,53	144,16	151	57,0	8,0	123,0	80,0	84,0	35	20		
PDE 40 H 300	10	11AF	40	161,70	160,33	168	55,0	29,0	139,0	80,0	84,0	-	20		
PDE 44 H 300	10	11AF	44	177,87	176,50	191	55,0	29,0	149,0	80,0	84,0	-	20		
PDE 48 H 300	10	11AF	48	194,04	192,67	199	55,0	29,0	169,0	85,0	84,0	-	20		
PDE 60 H 300	11	11A	60	242,55	241,18	-	55,0	31,0	215,0	90,0	86,0	-	20	without flanges sous flasques ohne Borde sin valona	cast iron fonte Grauguss fundición
PDE 72 H 300	11	11A	72	291,06	289,69	-	55,0	31,0	262,0	90,0	86,0	-	20		
PDE 84 H 300	11	11A	84	339,57	338,20	-	55,0	31,0	312,0	90,0	86,0	-	20		
PDE 96 H 300	11	11A	96	388,08	386,71	-	55,0	31,0	359,0	90,0	86,0	-	20		
PDE 120 H 300	11	11A	120	485,10	483,73	-	65,0	21,0	455,0	100,0	86,0	-	24		




10




11

PDE ... XH 200 (*)


code code Code código	type type Typ tipo	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	e Ø	Y	Z	U Ø	H Ø	W	E	d Ø	flange flasque Bord valona	material materiel Werkstoff material
PDE 18 XH 200	12	6CF	18	127,34	124,55	134	62,0	18,0	–	85,0	62,0	18	20	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición
PDE 20 XH 200	12	6CF	20	141,49	138,70	150	62,0	18,0	–	95,0	62,0	18	20		
PDE 22 XH 200	12	6CF	22	155,64	152,85	166	62,0	18,0	–	110,0	62,0	18	20		
PDE 24 XH 200	12	6CF	24	169,79	167,00	177	62,0	18,0	–	125,0	62,0	18	25		
PDE 26 XH 200	12	6CF	26	183,94	181,15	191	62,0	18,0	–	140,0	62,0	18	25		
PDE 28 XH 200	5	6WCF	28	198,08	195,29	199	62,0	18,0	156,0	120,0	62,0	18	25		
PDE 30 XH 200	5	6WCF	30	212,23	209,44	216	62,0	18,0	170,0	120,0	62,0	18	25		
PDE 32 XH 200	5	6WCF	32	226,38	223,59	232	62,0	18,0	184,0	130,0	62,0	18	25		
PDE 40 XH 200	5	6WCF	40	282,98	280,19	288	62,0	18,0	240,0	140,0	62,0	18	25		
PDE 48 XH 200	7	6A	48	339,57	336,78	–	80,0	15,0	297,0	150,0	65,0	–	30		
PDE 60 XH 200	7	6A	60	424,47	421,68	–	80,0	15,0	382,0	150,0	65,0	–	30	without flanges sous flasques ohne Borde sin valona	
PDE 72 XH 200	7	6A	72	509,36	506,57	–	80,0	15,0	467,0	150,0	65,0	–	40		
PDE 84 XH 200	7	6A	84	594,25	591,46	–	80,0	15,0	552,0	160,0	65,0	–	40		
PDE 96 XH 200	7	6A	96	679,14	676,35	–	80,0	15,0	635,0	160,0	65,0	–	40		
PDE 120 XH 200	7	6A	120	848,93	846,14	–	80,0	15,0	805,0	160,0	65,0	–	40		




5




7



9



11



12

PDE ... XH 300 (*)

code code Code código	type type Typ tipo	type type Typ tipo	teeth dents Zähne dientes	R Ø	S Ø	e Ø	Y	Z	U Ø	H Ø	W	E	d Ø	flange flasque Bord valona	material materiel Werkstoff material	
PDE 18 XH 300	12	6CF	18	127,34	124,55	134	70,0	16,0	–	85,0	89,0	35	20	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición	
PDE 20 XH 300	12	6CF	20	141,49	138,70	150	70,0	16,0	–	95,0	89,0	35	20			
PDE 22 XH 300	12	6CF	22	155,64	152,85	166	70,0	16,0	–	110,0	89,0	35	20			
PDE 24 XH 300	12	6CF	24	169,79	167,00	177	70,0	16,0	–	125,0	89,0	35	25			
PDE 26 XH 300	12	6CF	26	183,94	181,15	191	70,0	16,0	–	140,0	89,0	35	25			
PDE 28 XH 300	5	6WCF	28	198,08	195,29	199	70,0	16,0	156,0	120,0	89,0	35	25			
PDE 30 XH 300	5	6WCF	30	212,23	209,44	216	70,0	16,0	170,0	120,0	89,0	35	25			
PDE 32 XH 300	5	6WCF	32	226,38	223,59	232	70,0	16,0	184,0	130,0	89,0	35	25			
PDE 40 XH 300	5	6WCF	40	282,98	280,19	288	70,0	16,0	240,0	140,0	92,0	35	25			
PDE 48 XH 300	9	10A	48	339,57	336,78	–	92,0	–	297,0	150,0	92,0	–	30			
PDE 60 XH 300	9	10A	60	424,47	421,68	–	92,0	–	382,0	150,0	92,0	–	30	without flanges sous flasques ohne Borde sin valona		
PDE 72 XH 300	9	10A	72	509,36	506,57	–	92,0	–	467,0	150,0	92,0	–	40			
PDE 84 XH 300	9	10A	84	594,25	591,46	–	92,0	–	552,0	160,0	92,0	–	40			
PDE 96 XH 300	9	10A	96	679,14	676,35	–	92,0	–	635,0	160,0	92,0	–	40			
PDE 120 XH 300	9	10A	120	848,93	846,14	–	92,0	–	805,0	160,0	92,0	–	40			

PDE ... XH 400 (*)

code code Code código	type type Typ tipo	type type Typ tipo	teeth Dähne Zähne dientes	R Ø	S Ø	e Ø	Y	Z	U Ø	H Ø	W	E	d Ø	flange flasque Bord valona	material Werkstoff material	
PDE 18 XH 400	12	6CF	18	127,34	124,55	134	85,0	16,0	-	85,0	116,0	47	20	with flanges avec flasques mit Borde con valona	cast iron fonte Grauguss fundición	
PDE 20 XH 400	12	6CF	20	141,49	138,70	150	85,0	16,0	-	95,0	116,0	47	20			
PDE 22 XH 400	12	6CF	22	155,64	152,85	166	85,0	16,0	-	110,0	116,0	47	20			
PDE 24 XH 400	12	6CF	24	169,79	167,00	177	85,0	16,0	-	125,0	116,0	47	25			
PDE 26 XH 400	12	6CF	26	183,94	181,15	191	85,0	16,0	-	140,0	116,0	47	25			
PDE 28 XH 400	5	6WCF	28	198,08	195,29	199	85,0	16,0	156,0	120,0	116,0	47	25			
PDE 30 XH 400	5	6WCF	30	212,23	209,44	216	85,0	16,0	170,0	120,0	116,0	47	25			
PDE 32 XH 400	5	6WCF	32	226,38	223,59	232	85,0	16,0	184,0	130,0	116,0	47	25			
PDE 40 XH 400	5	6WCF	40	282,98	280,19	288	85,0	16,0	240,0	140,0	116,0	47	25			
PDE 48 XH 400	11	11A	48	339,57	336,78	-	92,0	27,0	297,0	150,0	119,0	-	30			
PDE 60 XH 400	11	11A	60	424,47	421,68	-	92,0	27,0	382,0	150,0	119,0	-	30	without flanges sous flasques ohne Borde sin valona		
PDE 72 XH 400	11	11A	72	509,36	506,57	-	92,0	27,0	467,0	150,0	119,0	-	40			
PDE 84 XH 400	11	11A	84	594,25	591,46	-	92,0	27,0	552,0	160,0	119,0	-	40			
PDE 96 XH 400	11	11A	96	679,14	676,35	-	92,0	27,0	635,0	160,0	119,0	-	40			
PDE 120 XH 400	11	11A	120	848,93	846,14	-	92,0	27,0	805,0	160,0	119,0	-	40			

(*) Non stock pulleys. Stock pulleys XH pitch are shown at pages 22-23
Poulies pas en stock. Pour poulies en stock pas XH voir pages 22-23
Keine lager Scheiben, Lager Scheiben in Teilung XH erfolgen auf Seite 22-23
No stock pleas. Poleas de stock paso XH, ver paginas 22-23.